

FREE GROUND SHIPPING ⓘ

NEW

Home Cinema 5050UBe Wireless HDMI 4K PRO-UHD Projector with Advanced 3-Chip Design and HDR10

Contact Us 800.463.7766

Mon-Fri 6am-8pm, Sat 7am-4pm PT



The ultimate 4K experience for the DIY home theater.

The Epson® Home Cinema 5050UBe 4K PRO-UHD¹ projector delivers an amazing 4K home theater experience for the DIY enthusiast. Capable of displaying an astonishing 2,600 lumens for both color and white brightness³ – along with proprietary processors for resolution enhancement, color and image processing – the Home Cinema 5050UBe produces incredible brightness, color accuracy and image detail to faithfully display all your favorite content the way it was meant to be seen. If you're looking for an amazing 4K projection experience to power your new home theater build – this could be it. **Now that's Projection Perfected.**

Model: V11H931020

OUR PRICE :

\$3,299.99

★★★★★ [Write a review](#)

Overview 

Specifications

Specifications Projector:

Projection System:

Epson 3LCD, 3-chip optical engine

Projection Method:

Front / Rear / Ceiling mount

Driving Method:

Poly-silicon TFT Active Matrix, 0.74"-wide panel

Color Brightness - Color Light Output:

2600 lumens²

White Brightness - White Light Output:

2600 lumens²

Aspect Ratio:

16:9 widescreen (4:3 resize, 16:10 resize)

Compatible with 4:3 with Normal, Full or Zoom Modes

Resolution:

4K Enhancement¹ (1920 x 1080 x 2)

Maximum Resolution:

4096 x 2160

Supported Resolution:

3840 x 2160, Full HD 1080p/i, HD 720p, 576p/i, 480p/i

Lamp Type:

250 W UHE

Lamp Life:

Up to 5,000 hours (ECO Mode); up to 4,000 hours (Medium Mode); up to 3,500 hours (High Mode)⁷

Size - projected distance:

50" – 300" (Zoom: Wide and Zoom: Tele)

Keystone Correction:

Vertical: ± 30 degrees (Manual)

Contrast Ratio:

Up to 1,000,000:1, Auto Iris on

White Balance:

8-point adjustment

Color Processing:

Full 10-bit (partial 12-bit)

Color Reproduction:

Full-color (up to 1.07 billion colors)

General:

Operating Temperature:

41 ° to 95 °F (5 ° to 35 °C)

Weight:

25.1 lb

Security:

Kensington Security Lock Port

Projection Lens:

Type:

Powered focus/optical zoom/lens position

F-number:

2.0 – 3.0

Focal Length:

22.5 mm – 46.7 mm

Zoom Ratio:

1.0 – 2.1

Throw Ratio Range:

1.35 – 2.84

Lens Shift:

- Vertical: ± 96.3 (H center, powered)
- Horizontal: ± 47.1 (V center, powered)

Lens Cover:

Powered, Slide Lens Shutter

Other Home Projector:

Cinema Filter:

Automatically adjusts to color mode;

(On: Cinema, Digital Cinema)

Off: Natural, Black & White Cinema, Bright Cinema, Dynamic, 3D Dynamic, 3D Cinema)

Auto Iris:

Automatically adjusts to video source;

Off/On: High-speed or Normal, 2D and 3D mode

Super Resolution:

2D and 3D

Frame Interpolation:

1080p @24 Hz

Terminal Inputs:

- 2x HDMI (HDCP 2.2)
- 1x USB Type A (for optical HDMI cable 300 mA max. power supply only)
- 1x USB (for wireless and firmware)
- 1x Mini USB (service only)
- 1x LAN (RJ45)
- 1x Computer/D-sub 15 pin
- 1x RS-232c
- Trigger out 12 V DC, 200 mA maximum

Computer Compatibility:

PC, Mac®

Parental Controls:

Power Button Lock:

Hinders projector from being turned on without parental supervision

Projector Details:

Display Performance:

4K/UHD @ 60 Hz compatible, HDR10³, 3-dimensional DCI-P3 color Gamut⁴, 4Ke¹, 1080p; HD, 2D, 3D

Color Modes:

- 2D: Dynamic, Bright Cinema, Natural, Cinema, Digital Cinema, Black & White Cinema
- 3D: Dynamic, Cinema

Input Signal:

- Composite: 480i , 576i, 480p, 576p, 720p, 1080i, 1080p, 4K x 2K
- HDMI: TMDS

Fan Noise:

20 dB – 31 dB

Projector Dimensions:

Including feet:

20.5" x 17.7" x 7.6" (W x D x H)

Remote Control:

Features:

Front and rear directional

Operating Distance:

32 feet (10 meters)

Operating Angle:

Front: Right/Left: ± 30 degrees, Upper/Lower: ± 30 degrees

Rear: Right/Left: ± 30 degrees, Upper/Lower: + 10 – + 70 degrees

Power:

Power Consumption:

ECO Mode: 283 W; Normal Mode: 373 W

© 2019 Epson America, Inc.