## **Barco UDX-4K22**















Brief Introduction

The E-Cinema UDX-4K22 3D laser DLP projector from Barco has 21000 Ansi lumens, a contrast of 2000:1 and a WQXGA 2560 x 1600 resolution. The lifespan is 20000 hours due to the laser, which is over 13.7 years with a daily viewing time of 4 hours. Including a lens shift function, which provides freedom during installation. An image width of up to 1262 cm is possible, if the image width is smaller (we recommend max. 841 cm), rooms with residual light are also no problem. If the image width is not sufficient, the projector offers integrated edge blending software, which allows several projectors to project a large image together. The model is also compatible with Full HD 1080P and 4K (compressed) as well as 3D, and therefore all currently available Blu-ray formats can be recognized by the projector. This model is no longer offered by Barco, but is still a very popular projector.

ୁପ୍ତ 2000:1 <sup>©</sup> 3,505 min. Lumen

Display Type

Black Level

3D Compatibility

WQXGA 4/3 Ti Digital Light Processing Chip
21000 / 20000(4K UHD)

27000 Lux (bei 200 cm Screen)

ୁ 10,5000 min. Lumen

Lens shift Vert.: +60% -15% Hori.: +/-20%

WQXGA 2560 x 1600

Resolution 4.096.000 Pixel

UHD (4K2K) 3840 x 2160 compressed

Video Modes Pal, SECAM, NTSC, HDTV 720p, 1080i, 1080p, 4K UHD (komprimiert), 3D, EDTV 480p, 576p

Frame-Packing (Full HD 3D) | Side-by-Side | Top-and-Bottom

Frame Sequential (3D Ready)

Application E-Cinema | Digital Cinema (D-Cinema) in the movie theater.

Very large screen width and rooms with plenty of light and shaded daylight.

Light Source Laser Light Life 20000 h.

Operating Costs 0,00 € Laser

Focus Powered

Zoom Powered

Objective optional


Throw Ratio optional

Audio No

Connections 1 x HDMI 2 x HDBaseT

1 x Display Port in

Quad DisplayPort Kanal A,B,C,D



Quad 3G SDI Kanal A,B,C,D

RJ45 in 1 x USB DMX RS232

Sync in and out XLR-Eingang

Ceiling Mounting Power

Yes 1900W

Size WxHxD

660 x 350 x 830 mm (26"x13,8"x32,7") 191,73 L/dm<sup>3</sup>

Operating Noise

52dB

Weight 87,50 kg / 192,9 lbs.

Keystone -

Illumination -

Foot-Lamberts

Frequenz

Optional

650 fL / max. 1262 cm screen width

2227 cd/m<sup>2</sup>

original

■ Real Full HD 3D

■ Full HD 1080P compatible

Lens shift Funktion

■ 360° installable

Features Edge Blending

■ Picture-in-Picture

■ Optional Wi-Fi network compatible.

■ Lan network compatible.

■ Projector Toolset + Android app + iOS app

 original
 R9862040

 original
 R9862030

 original
 R9862020

 original
 R9862010

Order here: https://www.hcinema.de/lampen/shop-en.php?id=hc36935

## **Optional Lenses**

R9862005

Name	Ratio	Distance	Shift V	Shift H	Zoom
		Zoom Optional Lenses			
R9862040	4.17-6.95:1	8.3-13.9 m	60-15%	+/-20%	Powered
R9862030	2.56-4.17:1	5.1-8.3 m	60-15%	+/-20%	Powered
R9862020	1.87-2.56:1	3.7-5.1 m	60-15%	+/-20%	
R9862010	1.39-1.87:1	2.8-3.7 m	60-15%	+/-20%	Powered
R9862005	1.16-1.49:1	2.3-3 m	60-15%	+/-20%	Powered
R9862001	0.65-0.85:1	1.3-1.7 m			Powered
R9829997	6.93-10.3:1	13.9-20.6 m	60-15%	+/-20%	Powered
R9801414	0.8-1.16:1	1.6-2.3 m			No Zoom
0047 B: ('   (FOL) //					

2017 Discontinued (EOL) // Last update of the data: 2023-08-04

Created: 2017-07-10 14:34:15



Status











Shift: 90 cm

Shift: 23 cm

Shift: 40 cr

hift: 40 cm







