## Chenghua CH P2050





Display Type

1 x DLP Chip

SVGA 4/3 Ti Digital Light Processing Chip

Ansi-Lumen Contrast Black Level

1000

Offset SVGA 800 x 600 Resolution

480.000 Pixel PAL, SECAM, NTSC

Video Modes Application

Standard-Portabel | External training and company presentations, as well as product presentations.

ω333 Lux (bei 200 cm Screen)

Small screen width, rooms with very little ambient light below 100 lumens.

**Light Source** 

Articel Nr.: LMPf8099

2000 h. Light Life

Operating Costs

**Focus** 

Zoom

Objective

Throw Ratio

Audio

Connections Ceiling Mounting Power

Size WxHxD Operating Noise

Lux:333 Lux Room light max.:67 Lux Candela pro m<sup>2</sup>:106 cd/m<sup>2</sup> Foot-Lamberts:31 fL 4/3 screen width:200 cm Screen:1 Gain

Weight 2,30 kg / 5,07 lbs.

Keystone Illumination

Frequenz

Foot-Lamberts 31 fL / max. 275 cm screen width

106 cd/m<sup>2</sup>

**Features** 

Status

2001 Discontinued (EOL) // Last update of the data: 2023-08-04

Data

More Details



https://www.projector-database.com/pro/chenghuachp2050-en.html