

Christie DS+655

CHRISTIE DS+655



A brief introduction to the Christie DS+655. The stationary DLP projector has an SXGA+ 1400 x 1050 resolution and a contrast of 7500:1. The built-in lens shift and keystone correction function provides freedom when setting up. An image width of up to 702 cm is possible as the projector has 6500 Ansi lumens. The projector can create rooms with residual light with a smaller image width, we recommend a maximum of 468 cm. Playing 1080P is also no problem for the projector. This model is no longer offered by Christie.



1 x 0,95" LVDS DC3 DLP Chip
SXGA 4/3 Ti Digital Light Processing Chip

Projector	6500 / 3000 im Singel Lamp Mode	Screen	2167 Lux (bei 200 cm Screen)
	7500:1 full on/off		7500:1 full on/off
	0,8667 min. Lumen		0,289 min. Lumen

Vert.: +/-55% Hori.: +/-45%
SXGA+ 1400 x 1050

1.470.000 Pixel
UXGA 1600 x 1200 compressed

PAL, SECAM, NTSC, HDTV 720p, 1080i, 1080p EDTV 480p, 576p

Stationary | Permanent installation in the training room and meeting room as well as the conference room.

Very large screen width and rooms with plenty of light and shaded daylight.

300W UHP Lamp

Article Nr.: 003-000884-01 /
003-120198-01

1700 h. 6000 h. in Eco Mode

12% / 0,42 €

Powered


Powered 1,25

F=2,1-6,5 f=34,1-42,7 mm

1,7-2,5:1

Nein

DVI-D mit HDCP in
5 x BNC RGBHV in
YUV in
Cinch Video in
RJ45 in



Brief Introduction
Beta 2.5

Display Type

Ansi-Lumen

Contrast

Black Level

Lens shift

Resolution

Video Modes

Application

Light Source

Light Life

Operating Costs

Focus

Zoom

Objective

Throw Ratio

Audio

Connections

Ceiling Mounting
Power
Size WxHxD
Operating Noise

RS232C Din 9pin in
USB in
12V Trigger
Yes, is possible.
1050W
510 x 223 x 379 mm (20,1"x8,8"x14,9") 43,1 L/dm³
32 / 30 dB in Eco Mode


Weight
Keystone
Illumination
Frequenz
Foot-Lamberts

12,60 kg / 27,78 lbs.
Vert.: +/-30°
Hori.: +/-15°
-
H-sync: 15-150 kHz
V-sync: 48-190 Hz
Range max.: 205 MHz
201 fL / max. 702 cm screen width
689 cd/m²

- Features
- Full HD 1080P compatible
 - Lens shift Funktion
 - Eco Mode
 - Gamma correction
 - Digital image shift
 - 24/7 continuous operation capable
 - BrilliantColor™
 - Remote control with laser pointer und mouse control
 - Lan network compatible.
 - Faroudja DCDi with pull down
 - BrilliantColor™ technology

Screen Mirroring

-



Optional accessories

	Nackte Osram Lampe	NLMP15420	103,58 €
	Lampe Ruby	Ruby-LMP15420	144,87 €
	Lampe Original	003-000884-01 / 003-120198-01	720,66 €
	Kompatible Lampe	LMP-K15420	70,96 €
	Deckenhalterung 220	Halterung45	83,60 €

Optional Lenses

Name	Ratio	Distance	Shift V	Shift H	Zoom
Zoom Optional Lenses					
4.0-7.0:1	3.98-6.83:1	8-13.7 m	+/-60%	+/-39%	Powered
2.5-4.0:1	2.49-3.99:1	5-8 m	+/-60%	+/-39%	Powered
1.7-2.5:1	1.68-2.36:1	3.4-4.7 m	+/-60%	+/-39%	Powered
1.3-1.7:1	1.33-1.74:1	2.7-3.5 m	+/-60%	+/-39%	Powered
Fix Optional Lenses					
1.2:1	1.27:1	2.5 m	+/-55%	+/-39%	No Zoom
0.8:1	0.8:1	1.6 m	+/-6%	+/-3.5%	No Zoom

Status 2007 Discontinued (EOL) // Last update of the data: 2025-03-03



More Details



HCinema

<https://www.projector-database.com/pro/christiedsplus655-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.