

Christie DWU880-GS /Black/White

CHRISTIE DWU880-GS /BLACK/WH



The Christie DWU880-GS /Black/White stationary 3D laser DLP projector has 8000 Ansi lumens, a contrast of 3000000:1 and a WUXGA 1920 x 1200 resolution. The manufacturer specifies a laser service life of 20000 hours, which is over 13.7 years if enjoyed for four hours a day. Including a lens shift function, which provides free space during installation. 909 cm image width, the projector will be able to illuminate well. The projector can create rooms with residual light with a smaller image width, max. 606 cm is recommended here. The model is also compatible with Full HD 1080P and 4K (compressed) as well as 3D, meaning that all Blu-ray formats currently available can be recognized by the projector.

Brief Introduction

Beta 2.5

Display Type

1 x 0,67" DLP Chip
WUXGA 16/9 Ti Digital Light Processing Chip

Ansi-Lumen

Projector 8000

Screen 3556 Lux (200 cm Screen width)

Contrast

3000000:1 full on/off

Screen 3000000:1 full on/off

Black Level

0,0027 min. Lumen

Screen 0,001 min. Lumen

Lens shift

Vert.: +/-50% Hori.: +/-15%

Resolution

WUXGA 1920 x 1200

2.304.000 Pixel

Video Modes

UHD (4K2K) 3840 x 2160 compressed

3D Compatibility

Pal, SECAM, NTSC, HDTV 720p, 1080i, 1080p, 4K UHD (komprimiert), 3D, EDTV 480p, 576p

Frame-Packing (Full HD 3D) | Side-by-Side | Top-and-Bottom

Frame Sequential (3D Ready)

Application

Stationary | Permanent installation in the training room and meeting room as well as the conference room.

Very large screen width and rooms with plenty of light and shaded daylight.

Light Source

Laser

Light Life

20000 h.

Operating Costs

0,00 € Laser

Focus

Powered

Zoom

Powered

Objective

optional

Throw Ratio

optional

Audio


Nein

Connections

2 x HDMI 1.4 in

DVI-D in

D-sub 15pin in



Mini Jack Audio in und out
USB Typ A.B in
RS232C Din 9 pin in
HDBaseT in
RJ45 in
3GSDI in und out




Ceiling Mounting
Power
Size WxHxD
Operating Noise

Yes, is possible.
670W
555 x 190 x 480 mm (21,9"x7,5"x18,9") 50,62 L/dm³
38 / 36 dB in Eco Mode

Weight
Keystone
Illumination
Frequenz
Foot-Lamberts
Features
Screen Mirroring

19,00 kg / 41,89 lbs.
-
-
H-sync: 15-91 kHz
V-sync: 24-120 Hz
Range max.: 162 MHz
330 fL / max. 909 cm screen width
1131 cd/m²
■ Real Full HD 3D
■ Full HD 1080P compatible
■ Lens shift Funktion
■ Eco Mode
■ Lan network compatible.
■ Picture-in-Picture Picture-by-Picture
■ 4 segment (RGBY) – 3X speed colour wheel



Optional accessories



Fernbedienung Original

IR1081

41,95 €

Deckenhalterung 220

Halterung45

83,60 €

Optional Lenses

Name	Ratio	Distance	Shift V	Shift H	Zoom
Zoom Optional Lenses					
140-143109-XX	0.65-0.75:1	1.3-1.5 m			Powered
140-131106-XX	1.22-1.52:1	2.4-3 m	+/-50%	+/-15%	Powered
140-119102-01	0.75-0.95:1	1.5-1.9 m			Powered
140-107109-XX	2.9-5.5:1	5.8-11 m	+/-50%	+/-15%	Powered
140-102104-xx	1.52-2.92:1	3-5.8 m	+/-50%	+/-15%	Powered
140-101103-xx	0.95-1.22:1	1.9-2.4 m	+/-50%	+/-15%	Powered
Fix Optional Lenses					
140-133108-XX	0.36:1	0.7 m			No Zoom

Status 2022 Current model // Last update of the data: 2025-09-09
Created: 2022-03-09 10:49:24

Data



More Details

HCinema

<https://www.projector-database.com/pro/christiedwu880gs-en.html>

