

# Christie DWU951 Q

CHRISTIE DWU951 Q



A brief introduction to the Christie DWU951 Q. The stationary DLP projector has a WUXGA 1920 x 1200 resolution and a contrast of 2500:1. The projector will be able to illuminate a picture width of 937 cm well. The projector can manage rooms with residual light with a smaller image width, we would recommend a maximum of 625 cm here. Playing 1080P is also no problem for the projector. Even projection onto the ceiling is possible thanks to the 360° projection. The model built in 2014 is no longer offered by Christie.



1 x 0,67" DLP Chip  
WUXGA 16/9 Ti Digital Light Processing Chip

## Brief Introduction

Beta 2.5

## Display Type

Ansi-Lumen

Contrast

Black Level

Offset

Resolution

Video Modes

Application

Light Source

Light Life

Operating Costs

Focus

Zoom

Objective

Throw Ratio

Audio

Connections

Projector

8500

2500:1 full on/off

3,4000 min. Lumen

.

WUXGA 1920 x 1200  
2.304.000 Pixel

Pal, SECAM, NTSC, HDTV 720p, 1080i, 1080p EDTV 480p, 576p

Stationary | Permanent installation in the training room and meeting room as well as the conference room.

Very large screen width and rooms with plenty of light and shaded daylight.

2 x 370W P-VIP Lamp

Article Nr.: 003-004774-01

2000 h. 4000 h. in eco Mode

12,86% / 0,45 €

Powered

Powered

optional

optional

Nein

2 x HDMI in  
DVI-D in  
D-Sub 15 pin in und out  
5 x BNC RGBHV in  
RJ45 mit HDBaseT in  
RS232C Din 9 pin in  
USB Typ A


3778 Lux (bei 200 cm Screen)

2500:1 full on/off

1,513 min. Lumen

.

Screen



|                  |                                                   |
|------------------|---------------------------------------------------|
| Ceiling Mounting | Yes, is possible.                                 |
| Power            | 990W                                              |
| Size WxHxD       | 537 x 174 x 463 mm (21,1"x6,9"x18,2") 43,26 L/dm³ |
| Operating Noise  | 36 / 29 dB in Eco Mode                            |

|              |                       |
|--------------|-----------------------|
| Weight       | 17,00 kg / 37,48 lbs. |
| Keystone     | -                     |
| Illumination | -                     |

|          |                     |
|----------|---------------------|
| Frequenz | Range max.: 150 MHz |
|----------|---------------------|

|               |                                   |
|---------------|-----------------------------------|
| Foot-Lamberts | 351 fL / max. 937 cm screen width |
|               | 1203 cd/m²                        |
|               | ■ Full HD 1080P compatible        |
|               | ■ Eco Mode                        |
|               | ■ 360° installable                |

|          |                                     |
|----------|-------------------------------------|
| Features | ■ 24/7 continuous operation capable |
|          | ■ Lan network compatible.           |
|          | ■ Crestron®-Software compatible.    |
|          | ■ Dicom simulation                  |

|                  |   |
|------------------|---|
| Screen Mirroring | - |
|------------------|---|

Optional accessories

|                                                                                    |                        |                        |          |
|------------------------------------------------------------------------------------|------------------------|------------------------|----------|
|    | Nackte Osram Lampe     | NLMP22660              | 203,67 € |
|    | Lampe Ruby             | Ruby-LMP22660          | 248,02 € |
|   | Lampe Original         | 003-004774-01          | 445,61 € |
|  | Kompatible Lampe       | LMP-K22660             | 116,22 € |
|  | Luftfilter Kompatibel  | Alternative zu:UX39551 | 19,34 €  |
|  | Fernbedienung Original | HL02803 / R101         | 46,71 €  |
|  | Luftfilter Original    | UX39551                | 56,23 €  |
|  | Deckenhalterung 220    | Halterung45            | 83,60 €  |

Optional Lenses

| Name                 | Ratio     | Distance  | Shift V | Shift H | Zoom    |
|----------------------|-----------|-----------|---------|---------|---------|
| Zoom Optional Lenses |           |           |         |         |         |
| 121-124108-01        | 5.5-8.8:1 | 11-17.6 m |         |         | Powered |
| 121-123107-01        | 3.5-5.6:1 | 7-11.2 m  |         |         | Powered |
| 121-122106-01        | 2.4-3.6:1 | 4.8-7.2 m |         |         | Powered |
| 121-121105-01        | 1.7-2.5:1 | 3.4-5 m   |         |         | Powered |
| 121-120104-01        | 1.6-2.4:1 | 3.2-4.8 m |         |         | Powered |
| 121-119102-01        | 1.1-1.7:1 | 2.2-3.4 m |         |         | Powered |
| 121-118101-01        | 0.8-1:1   | 1.6-2 m   |         |         | Powered |

|        |                                                                |
|--------|----------------------------------------------------------------|
| Status | 2014 Discontinued (EOL) // Last update of the data: 2025-03-03 |
|        | Created: 2014-02-03 14:43:05                                   |

Data



More Details



# HCinema

<https://www.projector-database.com/pro/christiedwu951-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.