

Christie L2K1000

CHRISTIE L2K1000



The large-screen Christie L2K1000 LCD projector has 10000 Ansi lumens, a contrast of 3000:1 and HD2K 2048 x 1080 resolution. Includes a lens shift and keystone correction function, which provides freedom during installation. A picture width of up to 871 cm is possible, if the picture width is smaller (we recommend max. 581 cm), rooms with residual light are also no problem. Even 1080P video signals are no problem for the projector, and it even has the option of projecting HD 1080P Blu-rays onto the ceiling thanks to 360° projection. The projector was launched in 2011 and is no longer sold by the manufacturer.



3 x 1,64" LCD TFT Panel
HD2K 4/3 Liquid Crystal Display

Brief Introduction Beta 2.5

Display Type

Ansi-Lumen

Contrast

Black Level

Lens shift

Resolution

Video Modes

Application

Light Source

Light Life

Operating Costs

Focus

Zoom

Objective

Throw Ratio

Audio

Connections

Ceiling Mounting

10000 / 8000 im Eco Mode

3000:1 full on/off

3,3333 min. Lumen

Vert.: +/-50% Hori.: +/-12,5%

HD2K 2048 x 1080

2.211.840 Pixel

PAL, SECAM, NTSC, HDTV 720p, 1080i, 1080p EDTV 480p, 576p

Event | Very large screen width and rooms with plenty of light and shaded daylight.

2 x 380W NSHA Lamp

Article Nr.: 003-120598-01

2000 h. 3000 h. in Eco Mode

7,97% / 0,49 €

Powered

Powered

optional

optional

Nein

HDMI 1.3 in

DVI-D mit HDCP in

D-sub 15 pin in

5 x BNC RGBHV in

S-Video in

RJ45 in

USB Typ B

RS232C Din 9 pin in

weitere optional


Yes, is possible.

3333 Lux (bei 200 cm Screen)

3000:1 full on/off

1,112 min. Lumen

Screen




Power 1000 / 800W in Eco Mode
Size WxHxD 530 x 268 x 757 mm (20,9"x10,6"x29,8") 107,52 L/dm³
Operating Noise 43 / 39 dB in Eco Mode

Weight 27,60 kg / 60,85 lbs.
Keystone Vert.: +/-30°
Hori.: +/-30°
Illumination 90%
Frequenz H-sync: 15-120 kHz
V-sync: 48-120 Hz
Range max.: 230 MHz
Foot-Lamberts 310 fL / max. 871 cm screen width
1062 cd/m²

- Full HD 1080P compatible
- Lens shift Funktion
- Freeze
- Blackboard Modus
- Eco Mode
- 360° installable
- Picture-in-Picture
- Lan network compatible.
- and picture-by-picture

Screen Mirroring -



Optional accessories

	Lampe Ruby	Ruby-LMP20951	208,02 €
	Lampe Original	003-120598-01	489,58 €
	Kompatible Lampe	LMP-K20951	106,68 €
	Luftfilter Original	POA-FIL-180 / 610-335-9830 / ET-SFYL180	EOL €
	Deckenhalterung L?nge 225 mm	Halterung45	85,80 €

Optional Lenses

Name	Ratio	Distance	Shift V	Shift H	Zoom
Zoom Optional Lenses					
38-809094-XX	1.5-2:1	3-4 m	+/-50%	+/-12.5%	Powered
38-809070-XX	6.3-9:1	12.6-18 m	+/-50%	+/-12.5%	Powered
38-809044-XX	2.6-3.5:1	5.2-7 m	+/-50%	+/-12.5%	Powered
38-809042-XX	4.4-6.2:1	8.8-12.4 m	+/-50%	+/-12.5%	Powered
38-809037-XX	1.31-1.84:1	2.6-3.7 m	+/-50%	+/-12.5%	Powered
38-809037-XX	1.3-1.8:1	2.6-3.6 m	+/-50%	+/-12.5%	Powered
103-139104-XX	3.5-4.5:1	7-9 m	+/-50%		Powered
103-138103-XX	2-2.6:1	4-5.2 m	+/-50%	+/-12.5%	
103-103101-XX	1.1-1.5:1	2.2-3 m	+/-50%	+/-12.5%	Powered
Fix Optional Lenses					
38-809043-XX	0.8:1	1.6 m	0.0% Fix		No Zoom
38-809036-XX	1.2:1	2.4 m	0.0% Fix		No Zoom

Status 2011 Discontinued (EOL) // Last update of the data: 2025-03-03
Data





HCinema

<https://www.projector-database.com/pro/christiel2k1000-en.html>

More Details

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.