

Christie Mirage HD12

CHRISTIE MIRAGE HD12



The large-screen Mirage HD12 3D DLP has 12000 Ansi lumens, a contrast of 1600 - 2000:1 and an HDTV 1920 x 1080 resolution. Including a lens shift function, which provides freedom during installation. Thanks to the brightness of 12000 Ansi lumens, a picture width of 1113 cm is possible. The projector can also handle slightly brighter rooms with a smaller image width (we recommend max. 742 cm). If the image width is not sufficient, the projector offers integrated edge blending software, which allows several projectors to project a large image together. Furthermore, the projector can play 1080P without any problems. On the market since 2008, the model is no longer offered by the manufacturer Christie. Unfortunately, we can no longer offer a replacement lamp for this model, neither original nor replica.



3 x 0,95" DC3 DLP Chip
HDTV 16/9 Ti Digital Light Processing Chip

Brief Introduction

Beta 2.5

Display Type

Ansi-Lumen

Contrast

Black Level

Lens shift

Resolution

Video Modes

3D Compatibility

Application

Light Source

Light Life

Operating Costs

Focus

Zoom

Objective

Throw Ratio

Audio

Connections

Projector 12000

1600 - 2000:1 full on/off

7,5000 min. Lumen

Vert.: +/-59,5% Hori.: +/-21% motorisch

HDTV 1920 x 1080

2.073.600 Pixel

QXGA 2048 x 1536 compressed

PAL, SECAM, NTSC, HDTV 720p, 1080i, 1080p EDTV 480p, 576p

Frame Sequential (3D Ready)

Event | Very large screen width and rooms with plenty of light and shaded daylight.

2000W Xenon Lamp

Article Nr.: 03-900519-01P /

03-900519-01P / 003-120135-01

1000 h.

-

Powered

Powered

optional

optional

Nein


DVI-I mit HDCP in
5 x BNC RGBHV in
S-Video in
Cinch Video in
RS232C
RS422

Screen

5333 Lux (200 cm Screen width)

1600 - 2000:1 full on/off

3,338 min. Lumen



RJ45
Weitere Anschlüsse optional.




Ceiling Mounting
Power
Size WxHxD
Operating Noise

Yes, is possible.
3000W
631,4 x 384 x 814,8 mm (24,9"x15,1"x32,1") 197,24 L/dm³
-

Weight
Keystone
Illumination
Frequenz
Foot-Lamberts
Features
Screen Mirroring

63,50 kg / 139,99 lbs.
-
90%
H-sync: 15-120 kHz
V-sync: 23,97-150 Hz
Range max.: 220 MHz
495 fL / max. 1113 cm screen width
1696 cd/m²
■ Full HD 1080P compatible
■ Lens shift Funktion motorisch
■ Freeze
■ Gamma correction
■ Warping
■ Edge Blending
■ Picture-in-Picture
■ Password protection
■ Remote control with laser pointer
■ Control via web browser
■ Lan network compatible.
■ Optional image warping
-



Optional accessories

	Lampe Original	03-900519-01P / 003-120135-01	EOL €
	Deckenhalterung	HeavyDuty	470,94 €

Optional Lenses

Name	Ratio	Distance	Shift V	Shift H	Zoom
4.1-6.9:1 (104-115101-01)	4.23-7.04:1	846-1408 m	+/-59.5%	+/-21%	Powered
2.6-4.1:1 (104-114101-01)	2.62-4.24:1	524-848 m	+/-59.5%	+/-21%	Powered
1.8-2.6:1 (104-113101-01)	1.86-2.57:1	372-514 m	+/-59.5%	+/-21%	Powered
1.4-1.8:1 (104-112101-01)	1.42-1.92:1	284-384 m	+/-59.5%	+/-21%	Powered
1.2:1 (104-116101-01)	1.25:1	250 m	+/-59.5%	+/-21%	No Zoom
0.71:1 (104-110101-01)	0.75:1	150 m	+/-23.5%	+/-9.5%	No Zoom
1.2:1 (104-111101-01)	1.21:1	242 m	+/-59.5%	+/-21%	No Zoom

Status 2008 Discontinued (EOL) // Last update of the data: 2026-05-05

Data





HCinema

<https://www.projector-database.com/pro/christimiragehd12-en.html>

More Details

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.