

Christie MIRAGE WU7

CHRISTIE MIRAGE WU7



With the MIRAGE WU7, manufacturer Christie offers a stationary DLP projector with WUXGA 1920 x 1200 resolution and a contrast of 1500-2000:1 / 450:1 according to ANSI. Thanks to the brightness of 6600 Ansi lumens, an image width of 825 cm is possible. The projector can also handle slightly brighter rooms with a narrower image width (we recommend max. 550 cm). In the event that the image is still too small, the projector offers integrated edge blending software, with which several projectors can project a large image together. It is also Full HD 1080P compatible. The model built in 2009 is no longer offered by Christie. It should also be noted that there are unfortunately no longer any replacement lamps available for the projector, neither originals nor replicas.



3 x 0,95" DC3 DLP Chip
WUXGA 16/9 Ti Digital Light Processing Chip

Projector	6600	Screen	2933 Lux (bei 200 cm Screen)
	1500-2000:1 full on/off / 450:1 nach ANSI		1500-2000:1 full on/off / 450:1 nach ANSI
ANSI			
4,4000 min. Lumen			1,958 min. Lumen

WUXGA 1920 x 1200

2.304.000 Pixel

QXGA 2048 x 1536 compressed

PAL, SECAM, NTSC, HDTV 720p, 1080i, 1080p EDTV 480p, 576p

Frame Sequential (3D Ready)

Stationary | Permanent installation in the training room and meeting room as well as the conference room.

Very large screen width and rooms with plenty of light and shaded daylight.

1000W Lamp

Article Nr.: 003-120117-01 /

03-000833-01P

1500 h.

-


Powered

Powered

optional

optional

Nein



Brief Introduction

Beta 2.5

Display Type

Ansi-Lumen

Contrast

Black Level Offset

Resolution

Video Modes

3D Compatibility

Application

Light Source

Light Life

Operating Costs

Focus

Zoom

Objective

Throw Ratio

Audio

Connections

DVI-I in
5 x BNC RGBHV in
S-Video in
Cinch Video in
3 x RS232C in
RS422 in
RJ45



Ceiling Mounting

Yes, is possible.

Power

1600W

Size WxHxD

660 x 313 x 566 mm (26"x12,3"x22,3") 116,92 L/dm³

Operating Noise

-

Weight

34,00 kg / 74,96 lbs.

Keystone

-

Illumination

-

Frequenz

-

Foot-Lamberts

273 fL / max. 825 cm screen width
935 cd/m²

Features

■ Full HD 1080P compatible

■ Freeze

■ Gamma correction

■ Dynamic iris

■ Warping

■ Edge Blending

■ Picture-in-Picture

■ Password protection

■ Remote control with laser pointer

■ Lan network compatible.

Screen Mirroring

-

Optional accessories			
	Lampe Original	003-120117-01 / 03-000833-01P	EOL €
	Deckenhalterung	HeavyDuty	378,28 €

Optional Lenses					
Name	Ratio	Distance	Shift V	Shift H	Zoom
Zoom Optional Lenses					
104-115101-01	4.08-6.89:1	8.2-13.8 m	+/-59.5%	+/-21%	Powered
104-114101-01	2.46-4.11:1	4.9-8.2 m	+/-59.5%	+/-21%	Powered
104-113101-01	1.9-2.6:1	3.8-5.2 m	+/-59.5%	+/-21%	Powered
104-112101-01	1.83-1.88:1	3.7-3.8 m	+/-59.5%	+/-21%	Powered
Fix Optional Lenses					
104-116101-01	1.19:1	2.4 m	+/-59.5%	+/-21%	No Zoom
104-111101-01	1.15:1	2.3 m	+/-59.5%	+/-21%	No Zoom
104-110101-01	0.71:1	1.4 m	+/-23.5%	+/-8.5%	No Zoom

Status

2009 Discontinued (EOL) // Last update of the data: 2025-03-03



More Details



HCinema

<https://www.projector-database.com/pro/christiemiragewu7-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice.
HCinema is not responsible for any errors or omissions contained in product descriptions.