Digital Projection E Vision WXGA 7000

















2400:1 full on/off 1,168 min. Lumen

Brief Introduction

Reta 2.5

The Digital Projection E Vision WXGA 7000 stationary DLP projector has 7000 Ansi lumens, a contrast of 2400:1 and a WXGA 1280 x 800 resolution. Includes a lens shift function, which provides freedom during installation. The projector can illuminate an image width of up to 850 cm thanks to its 7000 Ansi lumens. The projector can create rooms with residual light with a smaller image width, we recommend a maximum of 567 cm. Even 1080P video signals are no problem for the projector. The projector was launched in 2013 and is no longer sold by the manufacturer.

Display Type

Contrast

Black Level

Lens shift

Resolution

1 x 0,65" DLP Chip

WXGA 16/10 Ti Digital Light Processing Chip ω2800 Lux (bei 200 cm Screen)

7000 Ansi-Lumen

2400:1 full on/off 2.9167 min. Lumen

Vert.: +/-50% Hori.: +/-10% motorisch

WXGA 1280 x 800 1.024.000 Pixel

UXGA 1600 x 1200 compressed

Video Modes Pal, SECAM, NTSC, HDTV 720p, 1080i, 1080p EDTV 480p, 576p

Stationary | Permanent installation in the training room and meeting room as well as the

Application conference room.

Very large screen width and rooms with plenty of light and shaded daylight.

280W Lamp

Light Source Articel Nr.: 110-284

2000 h. 6000 h. in Eco Mode Light Life

5,49% / 0,18 € **Operating Costs**

Focus Powered

Powered Zoom

Objective optional

Throw Ratio optional

Audio

Connections

DVI in

D-sub 15 pin in und out 5 x BNC RGBHV in

YUV in S-Video in Cinch Video in Mini Jack Audio in

RJ45 in

RS232C Din 9 pin in **USB Service Port** 12V Trigger out

Ceiling Mounting Yes Power

730W

Size WxHxD 533 x 220 x 404 mm (21"x8,7"x15,9") 47,37 L/dm³

Operating Noise 39 / 34 dB in Eco Mode

Lux:2800 Lux Room light max.:560 Lux Candela pro m²:891 cd/m² 63 cm Foot-Lamberts:260 fL 16/10 screen width:200 cm Screen:1 Gain

Shift: 63 cm

X G A 7 0

Shift: 20 cm

Shift: 63 cm

Weight 20,00 kg / 44,09 lbs. Keystone -Illumination -

H-sync: 15-90 kHz
Frequenz
V-sync: 50-85 Hz
Range may: 170 Mi

Range max.: 170 MHz 260 fL / max. 850 cm screen width

891 cd/m²

■ Full HD 1080P compatible
■ Lens shift Funktion motorisch

Foot-Lamberts

■ Lan network compatible.

■ 4-Segment Color Wheel and 6-Segment Color Wheel included - user swappable

Shift: 20 cr

Optional Lenses

Name	Ratio	Distance	Shift V	Shift H	Zoom
		Zoom Optional Lense	es		
112-504	5.53-8.74:1	11.1-17.5 m	+/-50%	+/-10%	Powered
112-503	3.74-5.67:1	7.5-11.3 m	+/-50%	+/-10%	Powered
112-502	2.32-3.89:1	4.6-7.8 m	+/-50%	+/-10%	Powered
112-500	1.8-2.38:1	3.6-4.8 m	+/-50%	+/-10%	Powered
112-500	1.31-1.88:1	2.6-3.8 m	+/-50%	+/-10%	Powered
		Fix Optional Lenses	3		
112-499	0.8:1	1.6 m	0.0% Fix		No Zoom
	2013 Discontinued (FOL) // Last update of the data: 2023-08-04				

Status 2013 Discontinued (EOL) // Last update of the data: 2023-08-04

Created: 2013-01-10 09:12:55

Data

More Details





Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.