

EB-118 XGA 3LCD Projector

Contact Us

(852) 2827 8711

techsupp@ehk.epson.com.hk

Monday to Friday 9:00 to 18:00 HKT



LONG LAMP LIFE, WIDE-RANGING INTERFACE EDUCATION PROJECTOR

Epson EB-118 projector is a popular choice for virtually any classroom. Offering up to 3x Brighter Colors* than competitive models, Epson 3LCD projectors ensure vivid lessons. Reliable and user-friendly, EB-118 features XGA resolution and 3800 lumens of color brightness and 3800 lumens of white brightness¹. Its low-cost, long-lasting lamp — up to 17,000 hours in ECO Mode² — provides a low total cost of ownership. Moderator device management software³ and network connectivity allow instructors to wirelessly share⁴ work from multiple devices, simultaneously — including computers, iOS® and Android™ devices. It also features dual HDMI® connectivity.

- Projection System: 3LCD, 3-chip technology
- Native Resolution: 1024 x 768 (XGA)
- Color Brightness: 3800 lumens¹
- White Brightness: 3800 lumens¹

Model: V11HA03060

Overview

Up to 3x Brighter Colors*, and reliable performance — 3LCD, 3-chip technology

One measurement of brightness is not enough — look for both high color brightness and high white brightness.

EB-118 has:

Color Brightness — 3800 lumens¹

White Brightness — 3800 lumens¹

- Incredible image quality — native XGA (1024 x 768) resolution and 4:3 format
- Long-lasting, low-cost lamps — up to 17,000 hours in ECO Mode²
- Advanced network control — RJ-45 and optional wireless connectivity⁴ for remote projector management, presentations over the network and more
- Convenient collaboration for BYOD classrooms — wirelessly share⁴ and compare students' work from multiple devices, simultaneously, with Moderator device management software³
- Wireless projection from an array of devices — project from iPhone®, iPad®, Android tablets and smartphones with the free Epson iProjection™ App⁴
- 2x HDMI digital connectivity — supports multiple high-definition AV devices
- Powerful sound to engage every student — includes a built-in 16 W speaker and microphone input
- Easy setup and greater positioning flexibility — 1.2x optical zoom, ±30 degrees vertical and horizontal keystone correction, Easy-Slide controls and Quick Corner®

Specifications

Projection Lens:

Type:

Manual focus

F-number:

1.49 – 1.72

Focal Length:

16.9 mm – 20.28 mm

Zoom Ratio:

1.0 – 1.2 (optical zoom)

General:

Weight:

2.8 kg

General Projector (Projector Details):

Interfaces:

Computer In x 2

Monitor Out x 1

Video In x 1

Audio In (Stereo Mini) x 2

USB-B x 1

Audio Out (Stereo Mini) x 1

MIC (Stereo Mini) x 1

HDMI x 2

RS-232C x 1

Speaker:

16 W (mono)

Fan Noise:

ECO mode: 28 dB

Normal mode: 37 dB

Specifications Projector:

Lamp Life:

Normal mode: Up to 8000 hours²

ECO mode: Up to 17000 hours²

Throw Ratio Range:

1.48

Keystone Correction:

Horizontal/Vertical: ± 30 degrees

Size - projected distance:

30" to 300" (0.89 to 9.12 m)

Contrast Ratio:

Up to 16000:1

Color Processing:

10 bit

Projection System:

3LCD

3-chip technology

Projection Method:

Front / rear / ceiling mount

Color Brightness - Color Light Output:

3800 lumens¹

White Brightness - White Light Output:

3800 lumens¹

Aspect Ratio:

4:3

Native Resolution:

1024 x 768 (XGA)

Lamp Type:

210 W UHE

Dimensions Projectors:

Excluding feet:

302 x 87 x 249mm

Power:

Power Supply Voltage:

100 – 240VAC ±10%

50 / 60Hz AC

Power Consumption:

Normal mode: 327 W
