

Epson EB G6870 /NL



EPSON EB G6870 /NL



The stationary EB G6870 /NL LCD has 7000 Ansi-Lumen, a contrast of 5000:1 and an XGA 1024 x 768 resolution. Includes a lens shift and keystone correction function, which provides freedom during installation. An image width of up to 729 cm is possible as the projector has 7000 Ansi lumens. The projector creates rooms with residual light with a smaller image width, we recommend a maximum of 486 cm. Furthermore, it is Full HD 1080P compatible and even has the option of projecting HD 1080P Blu-rays onto the ceiling using 360° projection. The model built in 2015 is no longer offered by Epson.

Brief Introduction

Beta 2.5

Display Type



3 x LCD TFT Panel
XGA 4/3 Liquid Crystal Display

Ansi-Lumen

7000

2333 Lux (bei 200 cm Screen)

Contrast

5000:1 full on/off

5000:1 full on/off

Black Level

1,4000 min. Lumen

0,467 min. Lumen

Lens shift

Vert.: +/-67% Hori.: +/-30%

Resolution

XGA 1024 x 768

786.432 Pixel

Video Modes

Pal, SECAM, NTSC, HDTV 720p, 1080i, 1080p EDTV 480p, 576p

Application

Stationary | Permanent installation in the training room and meeting room as well as the conference room.

Very large screen width and rooms with plenty of light and shaded daylight.

Light Source

380W UHE Lamp

Article Nr.: ELPLP76 / V13H010L76

Light Life

2500 h. 4000 h. in eco Mode

Operating Costs

3,96% / 0,13 €

Focus

Manual

Zoom

Manual 2,19

Objective

optional

Throw Ratio

optional

Audio

1 x 10W Mono

Connections

HDMI in
D-sub 15 pin in und out
5 x BNC RGBHV in
S-Video in
Cinch Video in
Cinch Stereo in
Mini Jack Audio in und out
RJ45 in
HDBaseT in
RS232C
HD-SDI in

Ceiling Mounting

Yes

Power


526 / 421W in Eco Mode

Size WxHxD

505 x 144 x 382 mm (19,9"x5,7"x15") 27,78 L/dm³


Operating Noise

39 / 31 dB in Eco Mode



Key: 145 cm
Shift: 101 cm

Weight 9,00 kg / 19,84 lbs.
Keystone Vert.: +/-30°
Hori.: +/-30°
Illumination 90%
H-sync: 15-92 kHz
Frequenz V-sync: 50-85 Hz
Range max.: 162 MHz
Foot-Lamberts 217 fL / max. 729 cm screen width
743 cd/m²
Full HD 1080P compatible
Lens shift Funktion
Freeze
Eco Mode
Kensington Slot
Features sRGB
360° installable
Lan network compatible.
Crestron®-Software compatible.
DICOM Simulation
HDBaseT



Optionaler Zubehör

	Lampe Ruby	Ruby-LMP24958	166,64 €
	Lampe Original	ELPLP76 / V13H010L76	316,04 €
	Kompatible Lampe	LMP-K21795	112,98 €
	Universal Fernbedienung	Fernb-uni-V3	22,31 €
	Objektiv Original	V12H004U01 / ELPLU01	EOL €
	Objektiv Original	ELPLL06 / V12H004L06	EOL €
	Objektiv Original	ELPLM04 / V12H004M04	EOL €
	Objektiv Original	ELPLM05 / V12H004M05	EOL €
	Objektiv Original	ELPLR03 / V12H004R03	EOL €
	Fernbedienung Original	1582799	75,27 €
	Deckenhalterung 100-120	Halterung100	44,33 €
	Luftfilter universal	uni3mm	18,15 €

Optional Lenses

Name	Ratio	Distance	Shift V	Shift H	Zoom
Zoom Optional Lenses					
ELPLU01	0.66-0.8:1	1.3-1.6 m			Manual
ELPLS07	1.32-2.38:1	2.6-4.8 m	+/-57%	+/-30%	Manual
ELPLM05	3.57-5.4:1	7.1-10.8 m	+/-57%	+/-30%	
ELPLM04	2.38-3.6:1	4.8-7.2 m	+/-57%	+/-30%	
ELPLL06	5.33-7.18:1	10.7-14.4 m	+/-57%	+/-30%	Manual
Fix Optional Lenses					
ELPLR03	0.79:1	1.6 m	0.00% Fix		No Zoom
Status	2015 Discontinued (EOL) // Last update of the data: 2024-11-08				
Data	Created: 2015-02-25 15:46:50				



HCinema

<https://www.projector-database.com/pro/epsonebg6870nl-en.html>

More Details

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.