

Epson EB-L1755U

EPSON EB-L1755U



The Epson EB-L1755U laser LCD projector has 15000 Ansi lumens, a contrast of 2500000:1 and a WUXGA 1920 x 1200 resolution. The service life is 20000 hours due to the laser, which is over 13.7 years if enjoyed for four hours a day. The integrated lens shift gives freedom when positioning the projector. Thanks to the brightness of 15000 Ansi lumens, a picture width of 1244 cm is possible. The projector can also handle slightly brighter rooms with a narrower image width (we recommend max. 829 cm). In the event that the image is still too small, the projector offers integrated edge blending software, which allows several projectors to project a large image together. Video signals 1080P and 4K (compressed) are also no problem for the projector. Even projection onto the ceiling is possible thanks to the 360° projection. The model was built by Epson in 2017 and is no longer current, but is still one of the most popular projectors.



3 x 1,03" LCD TFT Panel mit c2 Fine
WUXGA 16/9 Liquid Crystal Display

Brief Introduction

Beta 2.5

Display Type

Ansi-Lumen

Contrast

Black Level

Lens shift

Resolution

Video Modes

Application

Light Source

Light Life

Operating Costs

Focus

Zoom

Objective

Throw Ratio

Audio

15000 / 10500 im Eco Mode

2500000:1

0,0060 min. Lumen

Vert.: +/-60% Hori.: +/-18%

WUXGA 1920 x 1200

2.304.000 Pixel

HD4K 4096 x 2160 compressed

Pal, SECAM, NTSC, HDTV 720p, 1080i, 1080p, 4K UHD (komprimiert), EDTV 480p, 576p

Event | Very large screen width and rooms with plenty of light and shaded daylight.

Laser

Article Nr.: ELPAF51 / V13H134A51

20000 h.

0,00 € Laser

Powered

Powered 1,6

optional

optional


-

6667 Lux (bei 200 cm Screen)

2500000:1

0,003 min. Lumen

Screen



HDMI mit HDCP 2.2 in
DVI-D in
D-sub 15pin in und out
5 x BNC RGBHV in
Mini Jack Audio in und out
SDI 3G in
RS232C Din 9 pin in
RJ45 in
RJ45 mit HDBaseT in

Connections



Ceiling Mounting

Yes
1024W / 647W in Eco Mode
Size WxHxD
586 x 211 x 492 mm (23,1"x8,3"x19,4") 60,83 L/dm³
Operating Noise
40 / 32 dB in Eco Mode

Weight

24,10 kg / 52,91 lbs.

Keystone

Vert.: +/-45°
Hori.: +/-30°

Illumination

-

Frequenz


-

Foot-Lamberts

619 fL / max. 1244 cm screen width
2121 cd/m²

- Full HD 1080P compatible
- Lens shift Funktion
- User logo
- Eco Mode
- Kensington Slot
- sRGB
- Warping
- 360° installable
- Edge Blending
- Password protection
- Optional Wi-Fi network compatible.
- Lan network compatible.
- Crestron®-Software compatible.
- DICOM Simulation
- AMX

Features



Optionaler Zubehör

	Objektiv Original	ELPLL08 / V12H004L08	3.397,61 €
	Objektiv Original	V12H004M09 / ELPLM09	EOL €
	Objektiv Original	V12H004U03 / ELPLU03	EOL €
	Objektiv Original	V12H004W05 / ELPLW05	1.940,84 €
	Objektiv Original	V12H004M0A / ELPLM10	1.940,84 €
	Objektiv Original	V12H004M0B / ELPLM11	1.940,84 €
	Dokumentkamera Original	ELPDC21 / V12H758040	599,37 €
	Objektiv Original	ELPLW06 / V12H004W06	3.175,98 €
	Objektiv Original	ELPLU04 / V12H004U04	4.398,32 €
	Objektiv Original	V12H004UA3 / ELPLU03S	4.730,05 €
	Objektiv Original	V12H004L08 / ELPLL08	3.397,61 €

	Luftfilter Kompatibel	Alternative zu ELPAF51 / V13H134A51	41,95 €
	Fernbedienung Original	2173310	53,78 €
	Luftfilter Original	ELPAF51 / V13H134A51	105,02 €
	Deckenhalterung Länge 225 mm	Halterung45	85,80 €

Optional Lenses					
Name	Ratio	Distance	Shift V	Shift H	Zoom
Zoom Optional Lenses					
ELPLW06	1.19-1.63:1	2.4-3.3 m	+/-60%	+/-18%	Powered
ELPLW05	1.19-1.63:1	2.4-3.3 m	+/-24%	+/-10%	Powered
ELPLU04	0.64-0.78:1	1.3-1.6 m	+/-60%	+/-18%	Powered
ELPLU03	0.48-0.57:1	1-1.1 m	+/-24%	+/-10%	Powered
ELPLM11	3.54-5.41:1	7.1-10.8 m	+/-60%	+/-18%	Powered
ELPLM10	2.43-3.71:1	4.9-7.4 m	+/-60%	+/-18%	Powered
ELPLM09	1.58-2.56:1	3.2-5.1 m	+/-60%	+/-18%	Powered
ELPLL08	5.28-7.72:1	10.6-15.4 m	+/-60%	+/-18%	Powered
Fix Optional Lenses					
ELPLX02	0.35:1	0.7 m	+/-21%	+/-15%	No Zoom

Status

2017 Discontinued (EOL) // Last update of the data: 2024-11-08

Created: 2018-01-18 14:26:14

Data

More Details



HCinema

<https://www.projector-database.com/pro/epsonebl1755u-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.