


Epson EB-L30000U

EPSON EB-L30000U



With the EB-L30000U, manufacturer Epson offers a large-format LCD laser projector with WUXGA 1920 x 1200 resolution and a contrast of 2500000:1. Thanks to the laser technology, the projector has a light life of up to 20000 hours, which is equivalent to over 13.7 years at 4 hours per day. The projector also offers a lens shift function for flexible projection adjustment without loss of quality. Thanks to the brightness of 30000 Ansi lumens, an image width of 1760 cm is possible. The projector will also manage slightly brighter rooms with a smaller image width (we recommend max. 1173 cm). If the image width is not sufficient, the projector offers integrated edge blending software, which allows several projectors to project a large image together. Furthermore, the projector can play 1080P and 4K (compressed) without any problems and can even project Blu-rays onto the ceiling using 360° projection.



3 x LCD TFT Panel

WUXGA 16/9 Liquid Crystal Display

Brief Introduction

Beta 2.5

Display Type

Ansi-Lumen

Contrast

Black Level

Lens shift

Resolution

Video Modes

Application

Light Source

Light Life

Operating Costs

Focus

Zoom

30000

2500000:1 full on/off

0,0120 min. Lumen

Vert.: +/-65% Hori.: +/-30% motorisch

WUXGA 1920 x 1200

2.304.000 Pixel

HD4K 4096 x 2160 compressed

Pal, SECAM, NTSC, HDTV 720p, 1080i, 1080p, 4K UHD (komprimiert), EDTV 480p, 576p

Event | Very large screen width and rooms with plenty of light and shaded daylight.

Laser Diode

Article Nr.: ELPAF52 / V13H134A52

20000 h. 30000 h. in Eco Mode

0,00 € Laser


Powered

Powered 1,35

13333 Lux (bei 200 cm Screen)

2500000:1 full on/off

0,005 min. Lumen




Objective	optional	Room light max.:2667 Lux Candela pro m²:4245 cd/m² Foot-Lamberts:1239 fL
Throw Ratio	optional	
Audio	Nein	16/9 screen width:200 cm Screen:1 Gain

	HDMI mit HDCP 2.2 in DVI in 5 x BNC RGBHV in D-Sub 15 pin in und out SDI in RJ45 USB Typ A,B RS232C HDBaseT in
--	--

Connections	
-------------	---

Ceiling Mounting	Yes, is possible.
Power	2325 / 1511W in Eco Mode
Size WxHxD	790 x 299 x 710 mm (31,1"x11,8"x28") 167,71 L/dm³
Operating Noise	49 / 41 dB in Eco Mode

Weight	63,80 kg / 138,89 lbs.
Keystone	Vert.: +/-45° Hori.: +/-30°

Illumination	-	
Frequenz	-	
Foot-Lamberts	-	

	1239 fL / max. 1760 cm screen width 4245 cd/m² ■ Full HD 1080P compatible ■ Lens shift Funktion motorisch ■ Blank (Black screen button) ■ Eco Mode ■ Kensington Slot ■ sRGB ■ Dynamic iris ■ High Dynamic Range (HDR) ■ Warping ■ 360° installable ■ 24/7 continuous operation capable ■ Edge Blending ■ Password protection ■ Optional Wi-Fi network compatible. ■ Lan network compatible. ■ Crestron®-Software compatible.
Features	

Screen Mirroring	-
------------------	---

Optional accessories

	Luftfilter Kompatibel	Alternative zu:ELPAF52 / V13H134A52	72,63 €
	Stacking Frame Original	V12H003B52 / ELPMB52	7.929,05 €
	Objektiv Original	V12H004W07 / ELPLW07	10.434,34 €
	Objektiv Original	V12H004U05 / ELPLU05	15.205,91 €

	Objektiv Original	V12H004R05 / ELPLR05	15.205,91 €
	Objektiv Original	V12H004M0E / ELPLM14	7.252,98 €
	Objektiv Original	V12H004M0D / ELPLM13	7.252,98 €
	Objektiv Original	V12H004M0C / ELPLM12	7.252,98 €
	Objektiv Original	V12H004L0A / ELPLL10	15.205,91 €
	Objektiv Original	V12H004L09 / ELPLL09	10.077,28 €
	Fernbedienung Original	2173317	75,34 €
	Luftfilter Original	ELPAF52 / V13H134A52	88,36 €
	Deckenhalterung	HeavyDuty	378,28 €

Optional Lenses

Name

Ratio

Distance

Shift V

Shift H

Zoom

Zoom Optional Lenses


ELPLW07 / V12H004W07	1.29-1.76:1	2.6-3.5 m	+/-65%	+/-30%	Powered
ELPLU05 / V12H004U05	0.9-1.09:1	1.8-2.2 m	+/-55%	+/-25%	Powered
ELPLM14 / V12H004M0E	3.41-5.11:1	6.8-10.2 m	+/-65%	+/-30%	Powered
ELPLM13 / V12H004M0D	2.38-3.46:1	4.8-6.9 m	+/-65%	+/-30%	Powered
ELPLM12 / V12H004M0C	1.74-2.35:1	3.5-4.7 m	+/-65%	+/-30%	Powered
ELPLL10 / V12H004L0A	6.73-10.45:1	13.5-20.9 m	+/-55%	+/-25%	Powered
ELPLL09 / V12H004L09	4.79-7.2:1	9.6-14.4 m	+/-55%	+/-25%	Powered

Fix Optional Lenses

ELPLR05 / V12H004R05	0.63:1	1.3 m	+/-15%	+/-5%	No Zoom
----------------------	--------	-------	--------	-------	---------

Status 2020 Current model // Last update of the data: 2025-03-03
Created: 2020-01-28 08:45:12

Data



More Details



HCinema

<https://www.projector-database.com/pro/epsonebl30000u-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.