

# Epson EB Z9750U

EPSON EB Z9750U



The Epson model EB Z9750U is an LCD projector with WUXGA 1920 x 1200 resolution and a contrast of 15000:1. The integrated lens shift gives freedom when positioning the projector. 7500 Ansi lumens ensure that a picture width of 880 cm is also possible. The projector manages rooms with residual light with a smaller image width, we recommend a maximum of 587 cm. If the image is still too small, the integrated edge blending software can help to project a larger image with additional projectors. The model is also Full HD 1080P compatible. It was launched in 2014 and is no longer offered by the manufacturer Epson.



3 x LCD TFT Panel

WUXGA 16/9 Liquid Crystal Display

|             |                         |        |                              |
|-------------|-------------------------|--------|------------------------------|
| Projector   | 7500 / 6600 im Eco Mode | Screen | 3333 Lux (bei 200 cm Screen) |
| Contrast    | 15000:1 full on/off     |        | 15000:1 full on/off          |
| Black Level | 0,5000 min. Lumen       |        | 0,222 min. Lumen             |

Vert.: +/-60% Hori.: +/-18% motorisch

Resolution WUXGA 1920 x 1200

2.304.000 Pixel

Video Modes PAL, SECAM, NTSC, HDTV 720p, 1080i, 1080p EDTV 480p, 576p

Application Stationary | Permanent installation in the training room and meeting room as well as the conference room.

Very large screen width and rooms with plenty of light and shaded daylight.

Light Source 2 x 380W UHE Lamp

Article Nr.: ELPLP81 / ELPLP82

Light Life 2900 h. 3900 h. in Eco Mode

Operating Costs 14,57% / 0,51 €

Focus Powered


Zoom Powered 1,62

Objective F=1,65-2,51 f=36-57,35 mm

Throw Ratio 1,74-2,82:1

Audio Nein

Connections  
HDMI in  
DVI-D mit HDCP in  
5 x BNC RGBHV in  
D-sub 15 pin in und out  
S-Video in  
RJ45 in  
HDBaseT in  
RS232C



Brief Introduction  
Beta 2.5

Display Type

Ansi-Lumen

Contrast

Black Level

Lens shift

Resolution

Video Modes

Application

Light Source

Light Life

Operating Costs

Focus

Zoom

Objective

Throw Ratio

Audio


Connections

|                  |                                                 |
|------------------|-------------------------------------------------|
| Ceiling Mounting | Yes, is possible.                               |
| Power            | 844/ 748W in Eco Mode                           |
| Size WxHxD       | 534 x 197 x 741 mm (21"x7,8"x29,2") 77,95 L/dm³ |
| Operating Noise  | 37 / 35 dB in Eco Mode                          |

|              |                       |
|--------------|-----------------------|
| Weight       | 24,20 kg / 53,35 lbs. |
| Keystone     | Vert.: +/-30°         |
| Illumination | Hori.: +/-30°         |
|              | 90%                   |

|               |                                   |
|---------------|-----------------------------------|
| Frequenz      | H-sync: 15-92 kHz                 |
|               | V-sync: 50-85 Hz                  |
| Foot-Lamberts | 310 fL / max. 880 cm screen width |
|               | 1062 cd/m²                        |

|                  |                                      |
|------------------|--------------------------------------|
| Features         | ■ Full HD 1080P compatible           |
|                  | ■ Lens shift Funktion motorisch      |
|                  | ■ Eco Mode                           |
|                  | ■ sRGB                               |
|                  | ■ Edge Blending                      |
|                  | ■ Optional Wi-Fi network compatible. |
|                  | ■ Lan network compatible.            |
|                  | ■ Crestron®-Software compatible.     |
| Screen Mirroring | ■ DICOM Simulation                   |
|                  | ■ Model EB-Z10005U is black          |



Screen Mirroring

-

### Optional accessories

|                                                                                    |                                |                                     |            |
|------------------------------------------------------------------------------------|--------------------------------|-------------------------------------|------------|
|    | Doppel Lampe Ruby              | Ruby-LMP22855                       | 745,99 €   |
|   | Einzel Lampe Ruby              | Ruby-LMP22836                       | EOL €      |
|  | Portrait Doppel Lampe Original | ELPLP84 / V13H010L84                | 1.268,24 € |
|  | Portrait Einzel Lampe Original | ELPLP83 / V13H010L83                | 734,74 €   |
|  | Doppel Lampe Original          | ELPLP82 / V13H010L82                | 1.227,01 € |
|  | Einzel Lampe Original          | ELPLP81 / V13H010L81                | 737,57 €   |
|  | Luftfilter Kompatibel          | Alternative zu:ELPAF46 / V13H134A46 | 46,71 €    |
|  | Objektiv Original              | ELPLW04 / V12H004W04                | 2.541,40 € |
|  | Objektiv Original              | ELPLS04 / V12H004S04                | EOL €      |
|  | Objektiv Original              | ELPLR04 / V12H004R04                | EOL €      |
|  | Objektiv Original              | ELPLM06 / V12H004M06                | 2.541,40 € |
|  | Objektiv Original              | ELPLL07 / V12H004L07                | 2.541,40 € |
|  | Objektiv Original              | ELPLM07 / V12H004M07                | EOL €      |
|  | Universal Fernbedienung        | Fernb-uni-V3                        | 22,31 €    |
|  | Fernbedienung Original         | 2157388                             | 47,68 €    |
|  | Luftfilter Original            | ELPAF46 / V13H134A46                | 70,51 €    |
|                                                                                    | Deckenhalterung 220            | Halterung45                         | 83,60 €    |

| Name                | Ratio       | Optional Lenses      |          |         |         |
|---------------------|-------------|----------------------|----------|---------|---------|
|                     |             | Distance             | Shift V  | Shift H | Zoom    |
|                     |             | Zoom Optional Lenses |          |         |         |
| ELPLW04             | 1.29-1.77:1 | 2.6-3.5 m            | +/-60%   | +/-18%  | Powered |
| ELPLS04             | 1.71-2.78:1 | 3.4-5.6 m            | +/-60%   | +/-18%  |         |
| ELPLM07             | 3.85-5.88:1 | 7.7-11.8 m           | +/-60%   | +/-18%  | Powered |
| ELPLM06             | 2.64-4.03:1 | 5.3-8.1 m            | +/-60%   | +/-18%  | Powered |
| ELPLL07             | 5.76-8.09:1 | 11.5-16.2 m          | +/-60%   | +/-18%  | Powered |
| Fix Optional Lenses |             |                      |          |         |         |
| ELPLR04             | 0.76:1      | 1.5 m                | 0.0% Fix |         | No Zoom |

Status

2014 Discontinued (EOL) // Last update of the data: 2025-03-03

Created: 2014-06-27 11:27:30

Data

More Details



# HCinema

<https://www.projector-database.com/pro/epsonebz9750u-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.