

Epson USA Pro L1060W

EPSON USA PRO L1060W



The stationary Pro L1060W laser LCD projector from Epson USA has 6000 Ansi lumens, a contrast of 2500000:1 and a WXGA 1280 x 800 resolution. The manufacturer Epson USA specifies a service life of 20000 hours, which converts to over 13.7 years at 4 hours per day. The integrated lens shift gives freedom when positioning the projector. Thanks to the brightness of 6000 Ansi lumens, an image width of 787 cm is possible. The projector can also handle slightly brighter rooms with a smaller picture width (we recommend max. 525 cm). Playing 1080P and 4K (compressed) is also no problem for the projector. Even projection onto the ceiling is possible thanks to the 360° projection. The model built in 2020 is no longer offered by Epson USA.

 3 x 0,76" LCD TFT Panel
WXGA 16/10 Liquid Crystal Display

Projector	6000 / 4200 im Eco Mode	Screen	2400 Lux (200 cm Screen width)
Contrast	2500000:1 full on/off		2500000:1 full on/off
Black Level	0,0024 min. Lumen		0,001 min. Lumen

Vert.: +/-67% Hori.: +/-30%
WXGA 1280 x 800

Resolution
1.024.000 Pixel
UHD (4K2K) 3840 x 2160 compressed

Video Modes
Pal, SECAM, NTSC, HDTV 720p, 1080i, 1080p, 4K UHD (komprimiert), EDTV 480p, 576p

Application
Stationary | Permanent installation in the training room and meeting room as well as the conference room.

Very large screen width and rooms with plenty of light and shaded daylight.

Light Source
Laser

Light Life
20000 h. 30000 h. in Eco Mode

Operating Costs
0,00 € Laser

Focus
Powered


Zoom
Powered 1,6

Objective
F=1,7-2,3 f=24-38,20 mm

Throw Ratio
1,44-2,33:1

Audio
1 x 10W

Connections
HDMI HDCP 2.2 in
DVI-D in
D-sub 15pin in und out
5 x BNC RGBHV in
Mini Jack Audio in und out



Brief Introduction
Beta 2.5

USB in
RS232C Din 9 pin in
RJ45 in
HDBaseT in



Ceiling Mounting
Power
Size WxHxD
Operating Noise

Yes, is possible.
361W / 263W in Eco Mode
545 x 164 x 436 mm (21,5"x6,5"x17,2") 38,97 L/dm³
34 / 30 dB in Eco Mode

Weight
Keystone
Illumination

16,90 kg / 37,26 lbs.
Vert.: +/-45°
Hori.: +/-30°
-

Frequenz

-

Foot-Lamberts


223 fL / max. 787 cm screen width
764 cd/m²

Features

- Full HD 1080P compatible
- Lens shift Funktion
- Eco Mode
- 360° installable
- 24/7 continuous operation capable
- Optional Wi-Fi network compatible.
- Lan network compatible.
- Crestron®-Software compatible.

Screen Mirroring

-



Optional accessories



Objektiv Original

V12H004UA3 / ELPLU03S

4.138,56 €

Objektiv Original

ELPLU04 / V12H004U04

3.808,74 €

Objektiv Original

ELPLW06 / V12H004W06

2.776,57 €

Objektiv Original

ELPLW08 / V12H004W08

6.188,00 €



Objektiv Original

V12H004Y01 / ELPLX01W

EOL €



Objektiv Original

ELPLM15 / V12H004M0F

1.662,67 €



Objektiv Original

V12H004M0B / ELPLM11

1.715,47 €



Objektiv Original

V12H004M0A / ELPLM10

1.715,47 €



Objektiv Original

V12H004M08 / ELPLM08

554,15 €



Objektiv Original

V12H004W05 / ELPLW05

1.717,85 €

	Objektiv Original	V12H004U03 / ELPLU03	EOL €
	Objektiv Original	ELPLL08 / V12H004L08	2.776,57 €
	Deckenhalterung Länge 225 mm	Halterung45	83,60 €

Optional Lenses i					
Name	Ratio	Distance	Shift V	Shift H	Zoom
ELPLM11	4.85-7.38:1	970-1476 m	+/-67%	+/-30%	Powered
ELPLM10	3.32-5.06:1	664-1012 m	+/-67%	+/-30%	Powered
ELPLM15	2.16-3.48:1	432-696 m	+/-67%	+/-30%	Powered
ELPLM08	1.45-2.32:1	290-464 m	+/-67%	+/-30%	Powered
ELPLW06	1.62-2.22:1	324-444 m	+/-67%	+/-30%	
ELPLL08	7.21-10.11:1	1442-2022 m	+/-67%	+/-30%	Powered
ELPLW08	1.18-1.86:1	236-372 m	+/-67%	+/-30%	Powered
ELPLW05	1.04-1.46:1	208-292 m	+/-67%	+/-30%	
ELPLU04	0.87-1.05:1	174-210 m	+/-67%	+/-30%	Powered
ELPLU03S	0.65-0.78:1	130-156 m	+/-67%	+/-30%	
ELPLX01/ELPLX01W	0.35:1	70 m	51.06% Fix	+/-10%	No Zoom

Status 2020 Discontinued (EOL) // Last update of the data: 2026-05-05
 Created: 2020-03-22 12:53:02





HCinema

<https://www.projector-database.com/pro/epsonusaprol1060w-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.