


Everest ED U61

EVEREST ED U61



The Everest ED U61 standard portable LCD projector has 2600 Ansi lumens, a contrast of 500:1 and an XGA 1024 x 768 resolution. An image width of up to 444 cm is possible as the projector has 2600 Ansi lumens. However, if room light is available, the picture should be max. 296 cm wide. The model was built by Everest in 2006 and is no longer current.



3 x 0,7" LCD TFT Panel
XGA 4/3 Liquid Crystal Display

Projector

2600
500:1 full on/off
5,2000 min. Lumen

Screen

867 Lux (bei 200 cm Screen)
500:1 full on/off
1,744 min. Lumen

XGA 1024 x 768

786.432 Pixel

SXGA 1280 x 1024 compressed

PAL, SECAM, NTSC, HDTV 720p, 1080i, EDTV 480p, 576p

Standard-Portabel | External training and company presentations, as well as product presentations.

Medium screen width or rooms with little light, max. 100 lumens.

200W NSH Lamp

2000 h.

-

Manual

Manual 1,2

F=1,8-2,1 f=26,5-31,5 mm

1,86-2,22:1

2 x 1W

D-sub 15 in und out

S-Video in

Cinch Video in

RS232C


USB

Mini Jack in und out



Yes

250W



Size WxHxD 310 x 96 x 270 mm (12,2"x3,8"x10,6") 8,04 L/dm³
Operating Noise 33 / 30 dB in Eco Mode


Weight 2,70 kg / 5,95 lbs.
Keystone Vert.: +/-30°
Illumination -

Frequenz H-sync: 15-100 kHz
V-sync: 43-120 Hz

Foot-Lamberts 81 fL / max. 444 cm screen width
278 cd/m²

Features ■ Eco Mode
■ Remote control with laser pointer

Status 2006 Discontinued (EOL) // Last update of the data: 2023-08-04



More Details



HCinema

<https://www.projector-database.com/pro/everstedu61-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.