

Hitachi CP AW250NM

H I T A C H I C P A W 2 5 0 N M



The Hitachi CP AW250NM LCD projector has 2500 Ansi-Lumen, a contrast of 2000:1 and a WXGA 1280 x 800 resolution. The projector is equipped with an integrated media player, so direct playback of files will not be a problem. Thanks to the short-throw projection ratio of just 0.3:1, the projector is not distracting in the room. For a 2m wide image, the projector only needs to be positioned 60 cm away from the screen. It is also Full HD 1080P compatible. The projector was launched in 2010 and is no longer sold by the manufacturer.



3 x 0,59" LCD TFT Panel
WXGA 16/10 Liquid Crystal Display

Projector	2500 / 2000 im Eco Mode	Screen	1000 Lux (bei 200 cm Screen)
	2000:1 full on/off		2000:1 full on/off
	1,2500 min. Lumen		0,501 min. Lumen

WXGA 1280 x 800

1.024.000 Pixel

UXGA 1600 x 1200 compressed

PAL, SECAM, NTSC, HDTV 720p, 1080i, 1080p EDTV 480p, 576p

Media player formats: JPEG (.jpeg, .jpg) Bitmap (.bmp) PNG (.png) GIF (.gif) Movie (.avi, .mov)

DVD | HD Blu-ray (komprimiert) | 3D-Blu-ray | 4K-UHD-Blu-ray

Short Distance | Medium screen width or rooms with little light, max. 100 lumens.

210W UHB Lamp

Articel Nr.: DT01181

3000 h. 5000 h. in Eco Mode

-

Manual

No Zoom

-

0,3:1

10W Mono

HDmi in
2 x D-sub 15 pin in 1 x out
S-Video in
Cinch Video in
USB Typ A, B in
RS232C Din 9 pin in



Brief Introduction
Beta 2.5

Display Type

Ansi-Lumen

Contrast

Black Level

Offset

Resolution

Video Modes

Disc Recognition

Application

Light Source

Light Life

Operating Costs

Focus

Zoom

Objective

Throw Ratio

Audio

Connections

	Cinch Stereo in	
	Mini Jack Audio in	
	RJ45	
Ceiling Mounting	Yes	
Power	300W	
Size WxHxD	345 x 85 x 303 mm (13,6"x3,3"x11,9") 8,89 L/dm³	
Operating Noise	35 / 29 dB in Eco Mode	
Weight	3,80 kg / 6,61 lbs.	
Keystone	-	
Illumination	-	
Frequenz	-	
Foot-Lamberts	93 fL / max. 508 cm screen width 319 cd/m²	
Features	■ Full HD 1080P compatible	
	■ Direkt Power Off	
	■ Integrated Mediaplayer	
	■ Freeze	
	■ Blank (Black screen button)	
	■ Blackboard Modus	
	■ User logo	
	■ Eco Mode	
	■ Kensington Slot	
	■ Gamma correction	
	■ Password protection	
	■ Remote control with laser pointer und mouse control	
	■ PJLink™	
	■ Control via web browser	
	■ Lan network compatible.	
	■ Overscan adjustable	
	■ Short-throw projector	
Optional	Osram bulb only	NLMPe9071
	Lamp ruby	Ruby-LMPe9071
	Lamp incl. air filter original	DT01181 / DT01251 / DT01381 / CPA222WNLAMP
	Compatible lamp	LMP-K19995
	Universal Remote original	Fernb-uni-V3
	Interactive Pen original	I-PEN2
	Air filter compatible	Alternative zu:UX37191
	Air filter original	UX37191
Status	Ceiling Mount 100-120	Halterung100
	Order here: https://www.hcinema.de/lampen/shop-en.php?id=n19998	
	2010 Discontinued (EOL) // Last update of the data: 2023-08-30	



