

# Hitachi CP SX8350

HITACHI CP SX8350



A brief introduction to the Hitachi CP SX8350. The stationary LCD projector has an SXGA+ 1400 x 1050 resolution and a contrast of 3000:1. The integrated media player can play files directly. With the lens shift function, the projector can be positioned very freely. Thanks to the brightness of 5000 Ansi lumens, a picture width of 616 cm is possible. The projector can also handle slightly brighter rooms with a narrower image width (we recommend max. 411 cm). The model is also Full HD 1080P compatible and even has the option of projecting HD 1080P Blu-rays onto the ceiling using 360° projection. The projector was launched in 2012 and is no longer sold by the manufacturer.



3 x LCD TFT Panel  
SXGA 4/3 Liquid Crystal Display

Projector

5000

3000:1 full on/off

1,6667 min. Lumen

Vert.: +50% -0% Hori.: +/-10% motorsch

SXGA+ 1400 x 1050

1.470.000 Pixel

PAL, SECAM, NTSC, HDTV 720p, 1080i, 1080p EDTV 480p, 576p

**Media player formats:** • JPEG (.jpeg, .JPEG) • Bitmap (.bmp) • PNG (.png) • GIF (.gif) • Movie (.avi, .mov)

Stationary | Permanent installation in the training room and meeting room as well as the conference room.

Wide screen width or rooms with plenty of light (over 200 lumens).

330W Lamp

Articel Nr.: DT01281

2500 h.

4,27% / 0,14 €

Powered

Powered 2

-

1,2-1,8:1

2 x 8W


2 x HDMI in  
5 x BNC RGBHV in  
2 x D-sub 15 pin in  
S-Video in  
Cinch Video in  
Cinch Stereo in

Screen

1667 Lux (bei 200 cm Screen)

3000:1 full on/off

0,556 min. Lumen



## Brief Introduction

Beta 2.5

## Display Type

## Ansi-Lumen

## Contrast

## Black Level

## Lens shift

## Resolution

## Video Modes

## Application

## Light Source

## Light Life

## Operating Costs

## Focus

## Zoom

## Objective

## Throw Ratio

## Audio

## Connections

USB Typ A,B in  
Mini Jack Audio in und out  
RS232C Din 9 pin  
RJ45 in



Ceiling Mounting  
Power  
Size WxHxD  
Operating Noise

Yes  
-  
498 x 135 x 396 mm (19,6"x5,3"x15,6") 26,62 L/dm³  
37 / 31 dB in Eco Mode

Weight  
Keystone  
Illumination

8,70 kg / 19,18 lbs.  
Vert.: +/-35°  
-

Frequenz

H-sync: 31,5-106 kHz  
V-sync: 56-120 Hz  
Range max.: 150 MHz

Foot-Lamberts

155 fL / max. 616 cm screen width  
531 cd/m²


Features

- Full HD 1080P compatible
- Lens shift Funktion motorsch
- Integrated Mediaplayer
- Freeze
- User logo
- Eco Mode
- Kensington Slot
- Gamma correction
- Dynamic iris
- 360° installable
- Password protection
- Remote control with mouse control
- PJLink™
- Control via web browser
- Optional Wi-Fi network compatible.
- Lan network compatible.
- Picture-in-picture
- DICOM support.
- Status Monitor Display on rear panel.

Optional

|                         |                |
|-------------------------|----------------|
| Object lens original    | UL-705         |
| Object lens original    | SL-702         |
| Air filter original     | MU06642        |
| Object lens original    | ML-703         |
| Object lens original    | LL-704         |
| Remote control original | HL02801 / R100 |
| Object lens original    | FL-701         |
| Lamp original           | DT01291        |

Order here: <https://www.hcinema.de/lampen/shop-en.php?id=hc146>



| Optional Lenses      |           |            |          |         |         |
|----------------------|-----------|------------|----------|---------|---------|
| Name                 | Ratio     | Distance   | Shift V  | Shift H | Zoom    |
| Zoom Optional Lenses |           |            |          |         |         |
| UL-705               | 4.9-8.3:1 | 9.8-16.6 m | 50%      | +/-10%  | Powered |
| SL-702               | 1.2-1.8:1 | 2.4-3.6 m  | 50%      | +/-10%  | Powered |
| ML-703               | 1.5-3:1   | 3-6 m      | 50%      | +/-10%  | Powered |
| LL-704               | 2.8-4.9:1 | 5.6-9.8 m  | 50%      | +/-10%  | Powered |
| Fix Optional Lenses  |           |            |          |         |         |
| FL-701               | 1:1       | 2 m        | 0.0% Fix |         | No Zoom |

More Details



# HCinema

<https://www.projector-database.com/pro/hitachicpsx8350-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.