

Hitachi CP WU13K

HITACHI CP WU13K



The large-screen CP WU13K 3D DLP has 13000 Ansi lumens, a contrast of 2000:1 and a WUXGA 1920 x 1200 resolution. Includes a lens shift and keystone correction function, which provides freedom during installation. An image width of up to 1158 cm is possible, if the image width is smaller (we recommend max. 772 cm), rooms with residual light are also no problem. In the event that the image is still too small, the projector offers integrated edge blending software, with which several projectors can project a large image together. On the market since 2014, the model is no longer offered by the manufacturer Hitachi.



3 x 0,96" DLP Chip
WUXGA 16/9 Ti Digital Light Processing Chip

Display Type	3 x 0,96" DLP Chip	WUXGA 16/9 Ti Digital Light Processing Chip
Ansi-Lumen	13000 / 10060 im Eco Mode	5778 Lux (bei 200 cm Screen)
Contrast	2000:1 full on/off	2000:1 full on/off
Black Level	6,5000 min. Lumen	2,892 min. Lumen
Lens shift	Vert.: +50% -25% Hori.: +/-10%	
Resolution	WUXGA 1920 x 1200	
Video Modes	2.304.000 Pixel	
3D Compatibility	Pal, SECAM, NTSC, HDTV 720p, 1080i, EDTV 480p, 576p	
Application	Frame Sequential (3D Ready)	
Light Source	Event Very large screen width and rooms with plenty of light and shaded daylight.	
Light Life	2 x 465W Lamp	
Operating Costs	Article Nr.: DT01591	
	2000 h. 2500 h. in Eco Mode	
	12,52% / 0,77 €	

Powered


Powered

optional

optional

Nein

2 x HDMI in
DVI-D in
D-sub 15pin in und out
5 x BNC RGBHV in
YUV in
USB Typ B in
RS232C Din 9 pin in
RJ45 in
2 x 12V Trigger out



1 x SDI/HDSDI/3G BNC



Ceiling Mounting
Power
Size WxHxD
Operating Noise

Yes, is possible.
1250W
500 x 270 x 633 mm (19,7"x10,6"x24,9") 85,46 L/dm³
64 / 42 dB in Eco Mode

Weight
Keystone
Illumination

34,00 kg / 74,96 lbs.
Vert.: +/-20°
Hori.: +/-35°
-

Frequenz

-

Foot-Lamberts


537 fL / max. 1158 cm screen width
1840 cd/m²

- Lens shift Funktion
- Eco Mode
- Gamma correction
- Warping
- Edge Blending
- Lan network compatible.
- DICOM Simulation
- Picture-in-Picture
- Picture-and-Picture

Features

Screen Mirroring

-



Optional accessories

	Nackte Lampe	NLMP22523	279,15 €
	Lampe Ruby	Ruby-LMP22523	332,47 €
	Lampe Original	DT01591	771,13 €
	Objektiv Original	SL-K03	EOL €
	Objektiv Original	FL-K02	EOL €
	Objektiv Original	UL-K06	EOL €
	Objektiv Original	LL-K05	EOL €
	Objektiv Original	ML-K04	EOL €
	Objektiv Original	FL-K01	EOL €
	Filter Original	MU08321	60,18 €
	Deckenhalterung	HeavyDuty	378,28 €

Optional Lenses

Name	Ratio	Distance	Shift V	Shift H	Zoom
Zoom Optional Lenses					
UL-K06	4.16-6.96:1	8.3-13.9 m	50-25%	+/-10%	
SL-K03	1.39-1.87:1	2.8-3.7 m	50-25%	+/-10%	Powered
ML-K04	1.78-2.56:1	3.6-5.1 m	50-25%	+/-10%	Powered
LL-K05	2.56-4.16:1	5.1-8.3 m	50-25%	+/-10%	
Fix Optional Lenses					
FL-K02	1.11:1	2.2 m	50-25%	+/-10%	
FL-K01	0.67:1	1.3 m	0.00% Fix		No Zoom



More Details



HCinema

<https://www.projector-database.com/pro/hitachicpwu13k-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice.
HCinema is not responsible for any errors or omissions contained in product descriptions.