

Hitachi CP-WX8750W

H I T A C H I C P - W X 8 7 5 0 W



With the CP-WX8750W, manufacturer Hitachi offers an LCD projector with WXGA 1280 x 800 resolution and a contrast of 10000:1. Includes an integrated media player for direct playback of files. The built-in lens shift and keystone correction function provides freedom when setting up. Thanks to the brightness of 7500 Ansi lumens, a picture width of 880 cm is possible. The projector can also handle slightly brighter rooms with a smaller picture width (we recommend max. 587 cm). The model is also Full HD 1080P compatible and can even project Blu-rays onto the ceiling thanks to 360° projection. On the market since 2016, the model is no longer offered by the manufacturer Hitachi.

 3 x LCD TFT Panel
WXGA 16/10 Liquid Crystal Display

Brief Introduction

Beta 2.5

Display Type

Ansi-Lumen

Contrast

Black Level

Lens shift

Resolution

Video Modes

Application

Light Source

Light Life

Operating Costs

Focus

Zoom

Objective

Throw Ratio

Audio

Connections

7500

10000:1 full on/off

0,7500 min. Lumen

Vert.: +55% -0% Hori.: +/-10%

WXGA 1280 x 800

1.024.000 Pixel

PAL, SECAM, NTSC, HDTV 720p, 1080i, 1080p EDTV 480p, 576p

Media player formats: • JPEG (.jpeg, .JPEG) • Bitmap (.bmp) • PNG (.png) • GIF (.gif) • Movie (.avi, .mov)

Stationary | Permanent installation in the training room and meeting room as well as the conference room.

Very large screen width and rooms with plenty of light and shaded daylight.

430W Lamp

Articel Nr.: DT01881

2000 h. 4000 h. in Eco Mode

7,01% / 0,23 €

Powered

Powered 3

F=1,6-2,9 f=24-48 mm

1,7-3,0:1


2 x 8W

2 x HDMI in
D-sub 15 pin in und out
SDI in
S-Video in
Cinch Video in

3000 Lux (bei 200 cm Screen)

10000:1 full on/off

0,3 min. Lumen



Cinch Stereo in
 USB Typ A,B in
 Mini Jack Audio in und out
 RS232C Din 9 pin
 RJ45 mit HDBaseT in




Ceiling Mounting
 Power
 Size WxHxD
 Operating Noise

Yes
 580 / 560W in Eco Mode
 497,8 x 154,9 x 426,7 mm (19,6"x6,1"x16,8") 32,61 L/dm³
 39 / 33 dB in Eco Mode

Weight
 Keystone
 Illumination
 Frequenz
 Foot-Lamberts

8,62 kg / 19 lbs.
 Vert.: +/-35° automatisch
 Hori.: +/-7,5°



Features

-
 H-sync: 15-106 kHz
 V-sync: 50-120 Hz
 279 fL / max. 880 cm screen width
 956 cd/m²
 ■ Full HD 1080P compatible
 ■ Lens shift Funktion
 ■ Integrated Mediaplayer
 ■ Freeze
 ■ Blackboard Modus
 ■ User logo
 ■ Eco Mode
 ■ Automatic and manual vertical keystone correction
 ■ Kensington Slot
 ■ 360° installable
 ■ Picture-in-Picture
 ■ Password protection
 ■ PJLink™
 ■ Control via web browser
 ■ Optional Wi-Fi network compatible.
 ■ Lan network compatible.
 ■ Crestron®-Software compatible.
 ■ Picture-and-picture

Optional

Air filter original UX40821 / 003-005339-01
 Object lens original UL-705
 Remote control original HL02805 / R103
 Lamp original DT01881 / DT01881M
 Air filter Alternative zu:UX40821 / 003-005339-01

Order here: <https://www.hcinema.de/lampen/shop-en.php?id=fi23934>

Optional Lenses

Name	Ratio	Distance	Shift V	Shift H	Zoom
Zoom Optional Lenses					
UL-705	5.2-8.7:1	10.4-17.4 m	55%	+/-10%	Powered
ML713.	1.7-3:1	3.4-6 m	55%	+/-10%	Powered
LL704	3.1-5.2:1	6.2-10.4 m	55%	+/-10%	Powered
Fix Optional Lenses					
FL701	0.9:1	1.8 m	0.0% Fix		No Zoom

Status 2016 Discontinued (EOL) // Last update of the data: 2023-08-04
 Created: 2016-01-13 16:05:46

Data



More Details



HCinema

<https://www.projector-database.com/pro/hitachicpwx8750w-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.