

Liesegang dv 500

LIESEGGANG DV 500



Brief Introduction

Beta 2.5

Display Type

Ansi-Lumen

Contrast

Black Level

Offset

Resolution

Video Modes

Application

Light Source

Light Life

Operating Costs

Focus

Zoom

Objective

Throw Ratio

Audio

Connections

The Liesegang dv 500 LCD projector has 3000 Ansi lumens, a contrast of 800:1 and an XGA 1024 x 768 resolution. As the projector has horizontal and vertical keystone correction, the projector can be set up with plenty of free space in the room. The projector will be able to illuminate a picture width of 477 cm well. However, if room light is available, the picture width should ideally not exceed 318 cm. This model is no longer available from Liesegang.



3 x 0,99" LCD TFT Panel
XGA 4/3 Liquid Crystal Display

Projector

3000 / 2400 im Eco Mode
800:1 full on/off
3,7500 min. Lumen

Screen

1000 Lux (200 cm Screen width)
800:1 full on/off
1,255 min. Lumen

XGA 1024 x 768

786.432 Pixel

UXGA 1600 x 1200 compressed

Full PAL, NTSC und SECAM HDTV 720p, 1080i

Standard-Portabel | External training and company presentations, as well as product presentations.

Medium screen width or rooms with a little more ambient light, max. 200 lumens.

275W UHB Lamp

Article Nr.: ZU0289 04 4010

2000 h.

-

Powered


Powered 1,5

-

1,5-2,26:1

2 x 1W Stereo

D-sub 15pin in
DVI in
5 x BVNC in
Mini Jack in und out
S-Video in
Cinch Video in
YUV in
Cinch Stereo in
RS232C
USB





Ceiling Mounting
Power
Size WxHxD
Operating Noise

Yes, is possible.
430W
390 x 120 x 290 mm (15,4"x4,7"x11,4") 13,57 L/dm³
39 / 35 dB in Eco Mode

Weight
Keystone
Illumination

5,90 kg / 13,01 lbs.
Vert.: +/-15° automatisch
Hori.: +/-5°
-

Frequenz

H-sync: 15-80 kHz
V-sync: 50-120 Hz

Foot-Lamberts


93 fL / max. 477 cm screen width
319 cd/m²

Features

- Freeze
- Blank (Black screen button)
- User logo
- Eco Mode
- Automatic and manual vertical keystone correction
- Kensington Slot
- Gamma correction
- Picture-in-Picture
- Remote control with laser pointer und mouse control
- Digital zoom
-
- Pin lock
- De-interlacer with 3:2 pull down
- Flicker suppression, black level improvement,

Screen Mirroring

-



Optional accessories

	Nackte Lampe	NLMP2158	EOL €
	Lampe Ruby	Ruby-LMP2158	128,04 €
	Lampe Original	ZU0289 04 4010	EOL €
	Kompatible Lampe	LMP-K2158	80,73 €
	Fernbedienung Original	HL02191	EOL €
	Deckenhalterung Länge 100-120 mm	Halterung120	47,86 €
	Luftfilter universal	uni3mm	18,15 €

Optional Lenses



Name	Ratio	Distance	Shift V	Shift H	Zoom
Status	- Discontinued (EOL) // Last update of the data: 2026-06-09				

Data



More Details



HCinema

<https://www.projector-database.com/pro/liesegangdv500-en.html>

