

Maxell MC WX8751W

MAXELL MC WX8751W



The stationary MC WX8751W LCD has 7500 Ansi lumens, a contrast of 10000:1 and a resolution. Includes an integrated media player that can be used to play files directly. The projector also offers a lens shift function that makes image adjustment childs play. 7500 Ansi lumens ensure that a picture width of 880 cm is also possible. The projector manages rooms with residual light with a smaller image width, we recommend a maximum of 587 cm. Playing 1080P is also no problem for the projector, which can even project Blu-rays onto the ceiling thanks to the 360° projection. The model was built by Maxell in 2016 and is no longer current.



3 x LCD TFT Panel

WXGA 16/10 Liquid Crystal Display

Brief Introduction

Beta 2.5

Display Type

Ansi-Lumen

Contrast

Black Level

Lens shift

Resolution

Video Modes

Application

Light Source

Light Life

Operating Costs

Focus

Zoom

Objective

Throw Ratio

Audio

Connections

7500

10000:1 full on/off

0,7500 min. Lumen

Vert.: +55% -0% Hori.: +/-10%

WXGA 1280 x 800 1.024.000 Pixel

PAL, SECAM, NTSC, HDTV 720p, 1080i, 1080p EDTV 480p, 576p

Media player formats: • JPEG (.jpeg, .JPEG) • Bitmap (.bmp) • PNG (.png) • GIF (.gif) • Movie (.avi, .mov)

Stationary | Permanent installation in the training room and meeting room as well as the conference room.

Very large screen width and rooms with plenty of light and shaded daylight.

430W Lamp

Articel Nr.: DT01881

2000 h. 4000 h. in Eco Mode

7,01% / 0,23 €

Powered

Powered 3

F=1,6-2,9 f=24-48 mm

1,7-3,0:1


2 x 8W

2 x HDMI in
D-sub 15 pin in und out
SDI in
S-Video in
Cinch Video in
Cinch Stereo in
USB Typ A,B in


3000 Lux (bei 200 cm Screen)

10000:1 full on/off

0,3 min. Lumen



Mini Jack Audio in und out
RS232C Din 9 pin
RJ45 mit HDBaseT in



Ceiling Mounting
Power
Size WxHxD
Operating Noise

Yes
580 / 560W in Eco Mode
497,8 x 154,9 x 426,7 mm (19,6"x6,1"x16,8") 32,61 L/dm³
39 / 33 dB in Eco Mode

Weight
Keystone
Illumination

8,62 kg / 19 lbs.
Vert.: +/-35° automatisch
Hori.: +/-7,5°
-

Frequenz
Foot-Lamberts

H-sync: 15-106 kHz
V-sync: 50-120 Hz
279 fL / max. 880 cm screen width
956 cd/m²


- Full HD 1080P compatible
- Lens shift Funktion
- Integrated Mediaplayer
- Freeze
- Blackboard Modus
- User logo
- Eco Mode
- Automatic and manual vertical keystone correction
- Kensington Slot
- 360° installable
- Picture-in-Picture
- Password protection
- PJLink™
- Control via web browser
- Optional Wi-Fi network compatible.
- Lan network compatible.
- Crestron®-Software compatible.
- Picture-by-picture

Features

Optional

Object lens original UL-705
Remote control original HL02805 / R103
Lamp original DT01881 / DT01881M
Air filter Alternative zu:UX40821 / 003-005339-01

Order here: <https://www.hcinema.de/lampen/shop-en.php?id=hc146>



Optional Lenses					
Name	Ratio	Distance	Shift V	Shift H	Zoom
Zoom Optional Lenses					
UL-705	5.2-8.7:1	10.4-17.4 m	55%	+/-10%	Powered
ML713.	1.7-3:1	3.4-6 m	55%	+/-10%	Powered
LL704	3.1-5.2:1	6.2-10.4 m	55%	+/-10%	Powered
Fix Optional Lenses					
FL701	0.9:1	1.8 m	0.0% Fix		No Zoom

Status 2016 Discontinued (EOL) // Last update of the data: 2023-08-04
Created: 2020-03-26 13:50:20

Data



More Details



HCinema

<https://www.projector-database.com/pro/maxellmcwx8751w-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.