
nView LS1000

Brief Introduction Beta 2.5	The standard portable nView LS1000 LCD projector has 1000 Ansi lumens, a contrast of 150:1 and an SVGA 800 x 600 resolution. The projector can illuminate an image width of up to 275 cm well thanks to the 1000 Ansi lumens. In room light, however, the image width should ideally be less than 183 cm. The projector is no longer sold by the manufacturer.
Display Type	LCD TFT Panel SVGA 4/3 Liquid Crystal Display
Ansi-Lumen	Projector: 1000 / Screen: 333 Lux (bei 200 cm Screen)
Contrast	Projector: 150:1 full on/off / Screen: 150:1 full on/off
Black Level	Projector: 6,6667 min. Lumen / Screen: 2,264 min. Lumen
Offset	-
Resolution	SVGA 800 x 600 480.000 Pixel
Video Modes	-
Application	Standard-Portabel | External training and company presentations, as well as product presentations. Small screen width, rooms with very little ambient light below 100 lumens.
Light Source	- Lamp
Light Life	-
Operating Costs	-
Focus	manuell
Zoom	No Zoom
Objective	-
Throw Ratio	-
Audio	-
Connections	-
Ceiling Mounting	-
Power	-
Size WxHxD	-
Operating Noise	-
Weight	-
Keystone	-
Illumination	-
Frequenz	-
Foot-Lamberts	31 fL / max. 275 cm screen width 106 cd/m²
Features	-
Please note	-
Status Data	- Discontinued (EOL) // Last update of the data: 2023-08-04



More Details

HCinema
https://www.projector-database.com/pro/nViewLS1000-en.html

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.

NVIEW LS1000