## NEC NC2003ML

## Nec NC2003ML





Brief Introduction

Display Type

Ansi-Lumen

Application

Offset

The Nec NC2003ML E-Cinema Laser DLP projector has 24500 Ansi lumens, a contrast of 2000:1 and an HD2K 2048 x 1080 resolution. The manufacturer specifies a laser service life of 50000 hours, which converts to over 34.2 years at 4 hours per day. Thanks to the brightness of 24500 Ansi lumens, a picture width of 1363 cm is possible. The projector will also manage slightly brighter rooms with a smaller image width (we recommend max. 909 cm). Even 1080P video signals are no problem for the projector.

3 x 0,98 DLP Chip

HD2K 4/3 Ti Digital Light Processing Chip

Resolution HD2K 2048 x 1080 2.211.840 Pixel

Video Modes Pal, SECAM, NTSC, HDTV 720p, 1080i, 1080p, EDTV 480p, 576p

E-Cinema | Digital Cinema (D-Cinema) in the movie theater.

Very large screen width and rooms with plenty of light and shaded daylight.

Light Source Laser Light Life 50000 h.

Operating Costs 0,00 € Laser

Focus Powered

Zoom Powered

Objective optional

Throw Ratio optional

Audio No

1 × GPIO (3D)

1 × GPIO (D-Sub 37-polige Buchse)

Connections USB Typ A in

RS232C Din 9 pin in


RJ45 in

Ceiling Mounting Yes

Power 2560W

Size WxHxD 697 x 509,5 x 1337 mm (27,4"x20,1"x52,6") 474,33 L/dm<sup>3</sup>

Operating Noise 50dB



Weight 141,00 kg / 310,85 lbs.
Keystone Illumination -

Foot-Lamberts 759 fL / max. 1363 cm screen width

2601 cd/m<sup>2</sup>

■ Full HD 1080P compatible ■ Lan network compatible.

-

## Optional Lenses

| Name                 | Ratio  | Distance            | Shift V    | Shift H | Zoom    |
|----------------------|--|---------------------|------------|---------|---------|
| Zoom Optional Lenses |  |                     |            |         |         |
| NC-60LS39            | 3.9-6.52:1   | 7.8-13 m            |            |         | Powered |
| NC-60LS24Z           | 2.4-3.9:1  | 4.8-7.8 m           |            |         | Powered |
| NC-60LS19Z           | 1.9-3.25:1   | 3.8-6.5 m           |            |         | Powered |
| NC-60LS16Z           | 1.59-2.53:1  | 3.2-5.1 m           |            |         | Powered |
| NC-60LS14Z           | 1.4-2.05:1   | 2.8-4.1 m           |            |         | Powered |
| NC-60LS12Z           | 1.2-1.81:1   | 2.4-3.6 m           |            |         | Powered |
| Status               | 2022 Current model // Last upo<br>Created: 2022-01-13 13:35:31 | late of the data: 2 | 2023-08-04 |         |         |

Data

Frequenz

**Features** 



More Details





Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.