

Nec NP1250

NEC NP1250



The stationary NP1250 LCD projector from Nec has 3700 Ansi lumens, a contrast of 600:1 and an XGA 1024 x 768 resolution. The projector also offers an integrated media player for direct playback of files. The built-in lens shift and keystone correction function provides freedom when setting up. An image width of up to 530 cm is possible as the projector has 3700 Ansi lumens. The projector can create rooms with residual light with a smaller image width, max. 353 cm is recommended. Even 1080P video signals are no problem for the projector. On the market since 2009, the model is no longer offered by the manufacturer Nec.



3 x 0,8" LCD TFT Panel mit MLA

XGA 4/3 Liquid Crystal Display with Micro Lense Array

Projector

3700

600:1 full on/off

6,1667 min. Lumen

Vert.: +50% -0% Hori.: +/-10% manuell

XGA 1024 x 768

786.432 Pixel

UXGA 1600 x 1200 compressed

PAL, SECAM, NTSC, HDTV 720p, 1080i, 1080p EDTV 480p, 576p

Media player formats: JPEG BMP PNG GIF IDX, MPG MPEG2 MPEG1 WMV

Stationary | Permanent installation in the training room and meeting room as well as the conference room.

Medium screen width or rooms with a little more ambient light, max. 200 lumens.

330 / 264W NSH Lamp

Articel Nr.: NP06LP / 60002234

2000 h. 3000 h. inEco Mode

Screen

1233 Lux (bei 200 cm Screen)

600:1 full on/off

2,065 min. Lumen

Brief Introduction

Beta 2.5

Display Type

Ansi-Lumen

Contrast

Black Level

Lens shift

Resolution

Video Modes

Application

Light Source

Light Life

Operating Costs

Focus

Zoom

Objective

Throw Ratio

Audio

Connections

Manual


Manual 1,33

F=1,7-2,2 f=24,4-32,5 mm

1,52-2,03:1

2 x 5W Stereo

DVI-D mit HDCP in
D-sub 15pin in und out
5 x BNC RGBHV in
YUV in
S-Video in
Cinch Video in



2 x Cinch Stereo in 1 x out
 RJ45in
 RS232C D-sub15pin
 USB Typ A
 Mini Jack in



Ceiling Mounting Yes
 Power 460W
 Size WxHxD 399 x 150 x 358 mm (15,7"x5,9"x14,1") 21,43 L/dm³
 Operating Noise 33 / 30 dB in Eco Mode


Weight 7,50 kg / 16,53 lbs.
 Keystone Vert.: +/-40°
 Hori.: +/-30°
 Illumination -

Frequenz H-sync: 15-108 kHz
 V-sync: 48-120 Hz

Foot-Lamberts 115 fL / max. 530 cm screen width
 394 cd/m²

- Full HD 1080P compatible
- Direkt Power Off
- Lens shift Funktion manuell
- Integrated Mediaplayer
- Freeze
- Blackboard Modus
- User logo
- Eco Mode
- Kensington Slot
- sRGB
- Gamma correction
- Digital image shift
- Warping
- Picture-in-Picture
- Password protection
- Remote control with laser pointer und mouse control
- PJLink™
- Control via web browser
- Wi-Fi network compatible.
- Lan network compatible.
- Overscan adjustable
- 3D reform, auto colour correction, remote control with mouse control, 3-fold security system, 4x digital zoom, DICOM simulation

Features



Optional	Philips bulb only	NLMP16859
	Lamp ruby	Ruby-LMP16859
	Lamp incl. air filter original	NP06LP / 60002234 / NP06LP+
	Compatible lamp	LMP-K16859
	Universal Remote original	Fernb-uni-V3
	Ceiling Mount 100-120	Halterung100

Order here: <https://www.hcinema.de/lampen/shop-en.php?id=n19185>

Optional Lenses

Name	Ratio	Distance	Shift V	Shift H	Zoom
Zoom Optional Lenses					
NP05ZL	4.83-7.34:1	9.7-14.7 m	50%	+/-10%	Manual
NP04ZL	3.05-4.89:1	6.1-9.8 m	50%	+/-10%	Manual
NP03ZL	2.01-3.17:1	4-6.3 m	50%	+/-10%	Manual
NP02ZL	1.22-1.59:1	2.4-3.2 m	50%	+/-10%	Manual

NP01FL

0.83:1

1.7 m


0.0% Fix

No Zoom

Status

2009 Discontinued (EOL) // Last update of the data: 2023-08-04

Data



More Details



HCinema

<https://www.projector-database.com/pro/necnp1250-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.