

Panasonic PT D7



PANASONIC PT D7



Brief Introduction

Beta 2.5

Display Type

Ansi-Lumen

Contrast

Black Level

Offset

Resolution

Video Modes

Application

Light Source

Light Life

Operating Costs

Focus

Zoom

Objective

Throw Ratio

Audio

Connections

Ceiling Mounting

Power

Size WxHxD

Operating Noise

Weight

Keystone

Illumination

Frequenz

Foot-Lamberts

Features

The standard portable Panasonic PT D7 DLP projector has 800 Ansi lumens, a contrast of 500:1 and an XGA 1024 x 768 resolution. The projector can illuminate an image width of up to 246 cm well thanks to the 800 Ansi lumens. In room light, however, the image width should ideally be less than 164 cm. This model is no longer offered by Panasonic.



1 x DLP Chip
XGA 4/3 Ti Digital Light Processing Chip

800
500:1 full on/off
1,6000 min. Lumen

259 Lux (bei 203 cm Screen)
500:1 full on/off
0.521 min. Lumen

XGA 1024 x 768
786.432 Pixel

PAL/SECAM/NTSC/M-NTSC,
Standard-Portabel | External training and company presentations, as well as product presentations.

Small screen width, rooms with very little ambient light below 100 lumens.

120W p_VIP Lamp
Articel Nr.: ET-LAD7

-

-

Manual

Manual 1,2

F=2,7-3,0 f=35,0-42,0 mm

-

1W Mono

RGB R,G,B: HD D-sub 15-pin,
Video RCA,
S-Video mini DIN 4-pin,
Audio for RGB Stereo mini jack
Audio for video RCA (L,R)
Terminal (output) Maus mini DIN 9-pin

Yes

180W

235 x 58 x 297 mm (9,3"x2,3"x11,7") 4,05 L/dm³

-

2,60 kg / 5,73 lbs.


-

-

H-sync: 15-85 kHz
V-sync: 50-85 Hz

24 fL / max. 246 cm screen width
82 cd/m²

-



More Details



HCinema

<https://www.projector-database.com/pro/panasonicptd7-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.