

QP Optoelectronics CloudView



Brief Introduction

Beta 2.5

A brief introduction to the QP Optoelectronics CloudView. The DLP projector has a WVGA 854 x 480 resolution and 50 Ansi lumens. Thanks to the short-throw projection ratio of just 0.5:1, the projector is also not distracting in the room. For a 2m wide image, the projector only needs to be 100 cm away from the screen. The HDMI MHL (Mobile High-Definition Link) port makes it possible to transmit a 1080p / 60 Hz image mirroring (screen mirroring) from a smartphone while it is being charged at the same time via the connection. The projector was launched on the market in 2013 and is no longer sold by the manufacturer.

Display Type



1 x DLP Chip
WVGA 16/9 Ti Digital Light Processing Chip

Ansi-Lumen

Projector 50

Screen 22 Lux (bei 200 cm Screen)

Contrast

-

-

Black Level

-

-

Offset

-

Resolution

WVGA 854 x 480
409.920 Pixel

Video Modes

Pal, SECAM, NTSC, HDTV 720p, 1080i, EDTV 480p, 576p

Disc Recognition

DVD | HD Blu-ray (komprimiert) | 3D Blu-ray | 4K UHD Blu-ray

Application

Short Distance | Very narrow picture width and rooms with very little light.

Light Source

-

Light Life

-

Operating Costs

-

Focus

Manual

Zoom

No Zoom

Objective

-

Throw Ratio

0,5:1

Audio

-

Connections

1 x HDMI
1 x iPhone/iPad Port
1 x MHL

Ceiling Mounting

Nein

Power

-

Size WxHxD

58,4 x 17,8 x 114,3 mm (2,3"x0,7"x4,5") 0,11 L/dm³

Operating Noise

-

Weight

0,230 kg / 0,51 lbs.

Keystone

-

Illumination

-

Frequenz

-


Foot-Lamberts

2 fL / max. 72 cm screen width
7 cd/m²

Features

■ Short-throw projector

-



More Details



HCinema

<https://www.projector-database.com/pro/qpoptoelectroniccloudview-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.

