

Toshiba TDP S2V



Brief Introduction

Beta 2.5

Display Type



1 x DLP Chip
SVGA 4/3 Ti Digital Light Processing Chip

Ansi-Lumen

1300

433 Lux (bei 200 cm Screen)

Contrast

500:1 full on/off

500:1 full on/off

Black Level

2,6000 min. Lumen

0,871 min. Lumen

Offset

-

Resolution

SVGA 800 x 600

480.000 Pixel

XGA 1024 x 768 compressed

Video Modes

1080i/720p HDTV NTSC, NTSC 4.43, PAL und SECAM

Application

Standard-Portabel | External training and company presentations, as well as product presentations.

Small screen width, rooms with very little ambient light below 100 lumens.

Light Source

270W SHP Lamp

Articel Nr.: TLPLT1

Light Life

2000 h.

Operating Costs

-

Focus

Manual

Zoom

Manual 1,25

Objective

-

Throw Ratio

-

Audio

2,5W Mono

Connections

M1-DA (DVI)

Ceiling Mounting

Yes

Power

350W

Size WxHxD

277 x 99 x 286 mm (10,9"x3,9"x11,3") 7,84 L/dm³

Operating Noise

39dB

Weight

3,00 kg / 6,61 lbs.

Keystone

Vert. +12°-0°

Illumination

-

Frequenz

H-sync: 31,5-68,7 kHz

V-sync: 50-85 Hz

Foot-Lamberts

40 fL / max. 314 cm screen width

137 cd/m²


Features

-

Status

2000 Discontinued (EOL) // Last update of the data: 2023-08-04

Data



TOSHIBA TDP S2V



More Details

HCinema

<https://www.projector-database.com/pro/toshibatdps2v-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.