

Vivitek DW770UST

EAN/UPC:813097024268

VIVITEK DW770UST



A brief introduction to the DW770UST: The Vivitek short-throw 3D DLP projector offers 3500 Ansi lumens, a contrast of 14000:1 new / 10000:1 old and a WXGA 1280 x 800 resolution. The manufacturer Vivitek specifies a lamp life of 12000 hours, which is over 16.4 years with a daily viewing time of 2 hours. The projector also offers a lens shift function that makes image adjustment childs play. Thanks to the short-throw projection ratio of just 0.35:1, the projector is also not distracting in the room. For a 2m wide image, the projector only needs to be 70 cm away from the screen. Even 1080P and 4K (compressed) video signals are no problem for the projector.

Brief Introduction

Beta 2.5

Display Type



1 x DLP Chip
WXGA 16/10 Ti Digital Light Processing Chip

Ansi-Lumen

Projector 3500

Screen 1400 Lux (200 cm Screen width)

Contrast

Projector 14000:1 neu / 10000:1 alt

Screen 14000:1 neu / 10000:1 alt

Black Level

Projector 0,2500 min. Lumen

Screen 0,1 min. Lumen

Lens shift

Vert.: +71,7% -68,3%

Resolution

WXGA 1280 x 800

1.024.000 Pixel

Video Modes

UHD (4K2K) 3840 x 2160 compressed

Disc Recognition

Pal, SECAM, NTSC, HDTV 720p, 1080i, 1080p, 4K UHD (komprimiert), EDTV 480p, 576p

DVD | HD Blu-ray (komprimiert) | 3D-Blu-ray | 4K UHD Blu-ray (komprimiert)

3D Compatibility

Side-by-Side | Top-and-Bottom

Frame Sequential (3D Ready)

Application

Short Distance | Medium screen width or rooms with a little more ambient light, max. 200 lumens.

Light Source

Lampe

Article Nr.: 5811123650SVV

Light Life

6000 h. / 12000 h. in Eco Mode

Operating Costs

-

Focus

Manual

Zoom

No Zoom

Objective

F=2,5 f=5,1mm

Throw Ratio

0,35:1

Audio


2 x 10W

Connections

2 x HDMI in

D-sub 15pin in und out

Cinch Video in



Cinch Stereo in
Mini Jack Audio in und out
Microphone
USB in
RS232C Din 9 pin in
RJ45 in



Ceiling Mounting
Power
Size WxHxD
Operating Noise

Yes, is possible.
-
287,7 x 122,6 x 374,5 mm (11,3"x4,8"x14,7") 13,1 L/dm³
33 / 29 dB in Eco Mode

Key: 59 cm
Shift: 89 cm

Weight
Keystone
Illumination

-
Vert.: +/-40°
-

Frequenz

-

Key: 59 cm
Shift: -85 cm

Foot-Lamberts

130 fL / max. 601 cm screen width
445 cd/m²

Features

- Full HD 1080P compatible
- Lens shift Funktion
- Eco Mode
- Lan network compatible.
- Short-throw projector
- Crestron®-Software compatible.

Screen Mirroring

-

Optional accessories

	Nackte Osram Lampe	NLMP24951	72,30 €
	Lampe Ruby	Ruby-LMP24951	128,19 €
	Lampe Original	5811123650-SVV	190,90 €
	Kompatible Lampe	LMP-K24950	78,02 €
	Fernbedienung mit Laserpointer	5041841300	31,39 €
	Deckenhalterung 100-120	Halterung100	47,86 €

Status

2019 Current model // Last update of the data: 2026-01-13
Created: 2019-06-13 15:28:05

Data



More Details



HCinema

<https://www.projector-database.com/pro/vivitekdw770ust-en.html>

